

Content for General Science Capsule for DFCCIL 2021 Exam

PHYSICS for DFCCIL 2021 Exam	1
CHEMISTRY for DFCCIL 2021 Exam	23
BIOLOGY for DFCCIL 2021 Exam	45

Topics covered in PHYSICS.....2

- Kinematics
- Speed, Velocity & Acceleration
- Projectile motion & its properties
- Circular motion & its types
- Force & its Applications
- Newton's Laws
- Friction & its uses
- Oscillations & Waves
- Sound & its properties
- Heat & its properties
- All about Matter
- Atmospheric Pressure
- Archimedes Principle
- Surface Tension & its applications
- Light
- Examples of Atmospheric Refraction
- Magnetism & Electricity
- All about Nuclear Reactor
- Work, Power & Energy

Topics covered in CHEMISTRY...25

- Acid & its properties
- Bases
- Salt & its applications
- All about pH Scale
- Atom & its particles
- Uses of Important Elements & compounds
- Chemistry in everyday life

- Chemicals in Agriculture
- Classification of Elements
- Chemical Reactions & Equation
- Matter & its nature
- Chemical Bonding
- Properties of gases
- Organic Chemistry

Topics covered in BIOLOGY....48

- Know all about Cell
- Facts about cell
- Tissue & its types
- Facts about Bone
- Nervous System
- All about Human Eye
- Facts about Human Brain
- All about Hormones
- Blood & its components
- Functions of Human Heart
- Reproduction System
- Plant Reproduction
- Functions of Intestine
- Vitamins & its functions
- Excretory System
- Diversity in living organism
- All about microorganism
- Important facts about science



DFCCIL 2021
Notification Out

Learn with India's No.1 Platform with highest selections



Live
Classes



Test
Series



ebooks

ENROLL NOW

PHYSICS for DFCCIL 2021 Exam

Physical Quantities

Those quantities which can describe the laws of physics and possible to measure are called physical quantities.

The physical quantities which do not depend upon other physical quantities are called fundamental quantities.

The physical quantities which depend on fundamental quantities are called derived quantities e.g. speed, acceleration, force, etc.

Units

The unit of a physical quantity is the reference standard used to measure it.

Types of Units

1. Fundamental Units-The units defined for the fundamental quantities are called fundamental or base units.

Fundamental Physical Quantities	Mass (M)	Length (L)	Time (T)	Temperature (K)	Electric Current (I)	Luminous Intensity	Amount of Substance
Fundamental Units	Kilogram (Kg)	Metre (m)	Second (s)	Kelvin (K)	Ampere (A)	Candela (C(d))	Mole (mol)

2. Derived Units-The units defined for the derived quantities are called derived units. e.g. unit of speed or velocity (metre per second, acceleration (metre per second²) etc.

Rest and Motion

An object is said to be at rest if it does not change its position which respect to its surroundings with time and said to be in **motion** if it changes its position with respect to its surrounding with time.

- **Rectilinear motion** moving car on horizontal road, motion under gravity etc.
- **Angular motion** such as particle going on a circle, projectile motion, rotation of machine shaft etc.
- **Rotational motion** such as motion of a fan.
- If an object travels equal distances in equal intervals of time, then it is said to be in **uniform motion**.
- If an object travels unequal distances in equal intervals of time, then it is said to be in **non-uniform motion**.

Speed

- The distance covered by a moving body in a unit time interval is called its speed.
- $\text{Speed} = \frac{\text{Distance travelled}}{\text{Time taken}}$
- When a body travels equal distances with speed v_1 and v_2 , then average speed is the **harmonic mean** of the two speeds.
- $\frac{2}{v} = \frac{1}{v_1} + \frac{1}{v_2} \Rightarrow v = \frac{2v_1v_2}{v_1+v_2}$

- When a body travels for equal times with speeds v_1 and v_2 , then average speed is the **arithmetic mean** of the two speeds.

- $v = \frac{v_1+v_2}{2}$

Velocity

- The time rate of change of displacement of a body is called its velocity.
- $\text{Velocity} = \frac{\text{Displacement}}{\text{Time}}$
- An object is said to be moving with **uniform velocity** if it undergoes equal displacements in equal intervals of time.
- An object is said to be moving with **non-uniform or variable velocity** if it undergoes unequal displacement in equal intervals of time.
- $\text{Average velocity} = \frac{\text{Time displacement}}{\text{Total time taken}}$

Acceleration

- The time rate of change of velocity of a body is called its acceleration.
- $\text{Acceleration} = \frac{\text{Change in velocity}}{\text{Time taken}}$
- It is a vector quantity and its SI unit is ms^{-2} .
- Acceleration at an instant of time is known as **instantaneous acceleration**.

- When the velocity of a body increases with time, then its acceleration is positive and if velocity decreases with time, then its acceleration is negative called **deceleration or retardation**.
- If acceleration does not change with time, it is said to be **constant acceleration**.

Equations of Uniformly Accelerated Motion (Along straight line)

If a body started its motion with initial velocity u and attains final velocity v in the interval t . The acceleration assumed to be uniform in motion is a and the distance travelled is s , then equations of motion:

- $v = u + at$
- $s = ut + \frac{1}{2}at^2$
- $v^2 = u^2 + 2as$
- If any body is falling freely under gravity, then a is replaced by g in above equations.
- If an object is thrown vertically upward, then in above equations of motion a is replaced by $(-g)$.
- Velocity-Time Graph For accelerating or decelerating body the graph will be a straight line inclined to time axis and velocity axis.
- Graph between position (distance)-time for an accelerating or decelerating body is always a parabola.
- Acceleration-time graph for uniformly accelerating body is a line parallel to time axis.
- In case of uniform accelerated, the graph between position and velocity is always parabola.
- In case of uniformly accelerated motion, the graph between velocity and time is always a straight line.
- Slope of displacement-time graph gives velocity and slope of velocity-time graph gives acceleration.

Projectile Motion

- When a body is thrown from horizontal making an angle (θ) except 90° , then its motion under gravity is a curved parabolic path, called trajectory and its motion is called projectile motion.
- Examples:
 - The motion of a bullet shot from the gun
 - The motion of a rocket after burn-out
 - The motion of a bomb dropped from a aeroplane etc.

Properties of Projectile Motion

If we drop a ball from a height and at the same time thrown another ball in a horizontal direction, then both the balls would strike the earth simultaneously at different places.

Circular Motion

- The motion of an object along a circular path is called circular motion.
- Circular motion with a constant speed is called **uniform circular motion**.
- The direction of motion at any point in circular motion is given by the tangent to the circle at that point.
- In uniform circular motion, the velocity and acceleration both changes.
- In case of non-uniform circular motion, the speed changes from point to point on the circular track.



Centripetal Acceleration

During circular motion an acceleration acts on the body towards the centre, called centripetal acceleration. The direction of centripetal acceleration is always towards the centre of the circular path.

Force

It is an external push or pull with can change or tries to change the state of rest or of uniform motion. SI unit is newton (N) and CGS unit is dyne. $1 \text{ N} = 10^5 \text{ dyne}$. If sum of all the forces acting on a body is zero, then body is said to be in equilibrium.

Centripetal Force

During circular motion a force always acts on the body towards the centre of the circular path, called centripetal force.

Centrifugal Force

In circular motion we experience that a force is acting on us in opposite to the direction of centripetal force called **centrifugal force**. This is an apparent force or imaginary force and also called a pseudo force.

Applications of centripetal and centrifugal forces

- Cyclist inclined itself from vertical to obtain required centripetal force. To take a safe turn cyclist slower down his speed and moves on a path of larger radius.
- Roads are banked at turns to provide required centripetal force for taking a turn.
- For taking turn on a curved road, the **frictional force** is acting between the tyres of the vehicle and the road acts as centripetal force.
- If a bucket containing water is revolved fast in a vertical plane, the water may not fall even when bucket is completely inverted because a centrifugal force equal or greater than the weight of water pushes the water to the bottom of the bucket.
- For orbital motion of electrons around the nucleus **electrostatic force** of attraction is acting between the electrons and the nucleus as centripetal force.
- Cream is separated from milk when it is rotated in a vessel about the same axis. During rotation lighter particles of cream experience a lesser force than the heavier particles of milk.
- For revolution of the earth around the sun, gravitational force of attraction between the earth and the sun acts as centripetal force.

Newton's Laws of Motion

Newton's First Law of Motion

A body continues in its state of rest or of uniform motion in a straight line unless an external force acts on it. It is based on **law of inertia**. Inertia is the property of a body by virtue of which it opposes any change in its state of rest or of uniform motion in a straight line.

Inertia of Rest

- When a bus or train at rest starts, to move suddenly, the passengers sitting in it jerk in backward direction due to their inertia of rest.
- The dust particles come out from a carpet when it is beaten with a stick due to their inertia of rest.
- A passenger jumping out from a rapidly moving bus or train is advised to jump in forward direction and run forward for a short mile due to inertia of rest.

Inertia of Motion

When a running bus or train stops suddenly, the passengers sitting in it jerk in forward direction due to inertia of motion.

Momentum

The momentum of a moving body is equal to the product of its mass and its velocity.

Conservation of Linear Momentum

- The linear momentum of a system of particles remains conserved if the external force acting on the system is zero.
- Rocket propulsion and engine of jet aeroplane works on principle of conservation of linear momentum. In rocket, ejecting gas exerts a forward force which helps in accelerating the rocket upward.

Newton's Second Law

The rate of change of momentum of a body is directly proportional to the force applied on it and change in momentum takes place in the direction of applied force.

$$F = \frac{\Delta p}{\Delta t} = \frac{m\Delta v}{\Delta t} = ma$$

Newton's Third Law

For every action, there is an equal and opposite reaction and both act on two interacting objects. Rocket is propelled by the principle of Newton's third law of motion.

Impulse

- A large force which acts on a body for a very short interval of time and produces a large change in its momentum is called an impulsive force.
- Its unit is newton-second.
- A fielder lowers its hand when catching a cricket ball because by lowering his hands, he increases the time of contact for stopping the ball and therefore fielder has to apply lesser force to stop the ball. The ball will also exert lesser force on the hands of the fielder and the fielder will not get hurt.
- Wagons of a train are provided with the buffers to increase the time of impact during jerks and therefore, decreases the damage. The vehicles like scooter, car, bus, truck etc. are provided with shockers.

Friction

Friction is a force which opposes the relative motion of the two bodies when one body actually moves or tries to move over the surface of another body.

The cause of friction is the strong atomic or molecular forces of attraction acting on the two surfaces at the point of actual contact.

Uses of Friction

- A **ball bearing** is a type of rolling-element that uses balls to maintain the separation between the bearing races. The purpose of a ball bearing is to reduce rotational friction and to support loads (weight).
- Friction is necessary for walking, to apply brakes in vehicles, for holding nuts and bolts in a machinery etc.
- Friction can be decreases by polishing the surfaces by using lubricants or by using ball bearings.
- Tyres are made of synthetic rubber because its coefficient of friction with road is larger and therefore, large force of friction acts on it, which stops sliding at turns.
- The tyres are threading which also increases the friction between the tyres and the road.
- When pedal is applied to a bicycle, the force of friction on rear wheel is in forward direction and on front wheel is in the backward direction.

• Loses due to Friction

- Too much Loss of Energy in machines and then ultimately the machines are damaged.

• Laws of Limiting Friction

- i. It depends on the nature of the surfaces in contact and their state of polish.
- ii. It acts tangential to the two surfaces in contact and in a direction opposite to the direction of motion of the body.
- iii. The value of limiting friction is independent of the area of the surface in contact so long as the normal reaction remains the same.
- iv. The limiting friction ($f_{s \max}$) is directly proportional to the normal reaction R between the two surfaces.

OSCILLATIONS AND WAVES

Periodic Motion

- A motion which repeats itself identically after a fixed interval of time, is called a periodic motion.
- For example
 - Motion of arms of a clock, orbital motion of the earth around the sun, motion of a simple pendulum etc.
- **Oscillatory Motion**
- A periodic motion taking place to and fro or back and forth about a fixed point, is called oscillatory motion.
- For example
 - Motion of a simple pendulum.
 - Motion of a loaded spring etc.
- If a particle oscillates with its own natural frequency without help of any external periodic force. The oscillation is then called **damped oscillation**.
- When a body oscillates with the help of an external periodic force with a frequency different from natural frequency of the body, then oscillation is called **forced oscillation**.

Simple Harmonic Motion (SHM)

- An oscillatory motion of constant amplitude and of single frequency under a restoring force whose magnitude is proportional to the displacement and always acts towards mean position, is called **Simple Harmonic Motion**.

Characteristics of SHM

When a particle executing SHM passes through the mean position:

1. No force acts on the particle.
2. Acceleration of the particle is zero.
3. Velocity is maximum.
4. Kinetic energy is maximum.
5. Potential energy is zero.

When a particle executing SHM is at the extreme end, then:

1. Acceleration of the particle is maximum.
2. Restoring force acting on particle is maximum.
3. Velocity of particle is zero.
4. Kinetic energy of particle is zero.
5. Potential energy is maximum.

Simple Pendulum

- A heavy point mass suspended from a rigid support by means of an elastic inextensible string, is called a simple pendulum.
- Time period of a simple pendulum is given by $T = 2\pi\sqrt{\frac{l}{g}}$
- The time period of a simple pendulum of infinite length is 84.6 min. The time period of a second's pendulum is 2 s. Its length on the earth is nearly 100 cm.
- Acceleration due to gravity decreases with altitude (height) and therefore time period of a pendulum clock will increase and clock becomes slow.
- If the bob of a simple pendulum is suspended from a metallic wire, then the length of the pendulum increases with increase in temperature and therefore its time period also increases.
- A girl is swinging over a swing. If she stands up over the swing, then the effective length of the swing decreases and therefore, the time period of oscillations decreases.
- A pendulum clock cannot be used in a space-ship.
- **Damped Harmonic Motion**
- When there is friction or any other force acting within an oscillating system, the amplitudes of the oscillation decreases over time to this damping force. This is called damped harmonic motion.



Resonant Oscillations

- When a body oscillates with its own natural frequency (V_0) with the help of an external periodic

force also called forced harmonic motion. And if the frequency (v) provided by the external agent is equal to the natural frequency of the body, the oscillations of the body are called resonant oscillations.

Wave

A wave is a disturbance which propagates energy from one place to the other without the transport of matter.

Waves are broadly of two types:

1. Mechanical Wave
2. Non-mechanical wave

Mechanical Wave: The waves which required material medium (solid, liquid or gas) for their propagation are called mechanical wave or elastic wave. Mechanical waves are of two types.

1. **Longitudinal wave:** If the particles of the medium vibrate in the direction of propagation of wave, the wave is called longitudinal wave.
2. **Transverse Wave:** If the particles of the medium vibrate perpendicular to the direction of propagation of wave, the wave is called transverse wave.

Waves on strings under tension, waves on the surface of water are examples of transverse waves.

Non-mechanical waves or electromagnetic waves: The waves which do not require medium for their propagation i.e. which can propagate even through the vacuum are called non mechanical wave.

Light, heat are the examples of non-mechanical wave. In fact all the electromagnetic waves are non-mechanical.

All the electromagnetic wave consists of photon.

The wavelength range of electromagnetic wave is $10^{-14}m$ to $10^4 m$.

Properties of electromagnetic waves

1. They are neutral (uncharged).
2. They propagate as transverse wave.
3. They propagate with the velocity of light.
4. They contain energy and momentum.
5. Their concept was introduced by Maxwell.

Following waves are not electromagnetic

1. Cathode rays
2. Canal rays
3. α rays

4. β rays
5. Sound wave
6. Ultrasonic wave

Some Important Electromagnetic Waves & their discoverer

1. γ -Rays - Henry Becqueral
2. X-Rays - W. Rontgen
3. Ultra-violet rays - Johann Ritter
4. Visible radiation - Newton
5. Infra-red rays - Hershel
6. Short radio waves or Hertzian Waves - Heinrich Hertz
7. Long Radio Waves - Marconi

Note: Electromagnetic waves of wavelength range 10^{-3}m to 10^{-2}m are called microwaves.

Amplitude: Amplitude is defined as the maximum displacement of the vibrating particle on either side from the equilibrium position.

Wavelength: Wavelength is the distance between any two nearest particle of the medium, vibrating in the same phase. It is denoted by the Greek letter **lambda**(λ).

In transverse wave distance between two consecutive crests or troughs and in longitudinal wave, distance between two consecutive compressions or rarefactions is equal to wavelength.

Velocity of wave = frequency \times wavelength.

Sound

Sound waves are mechanical longitudinal waves and require medium for their propagation. It cannot propagate through vacuum. When propagated speed and wavelength changes but frequency remains constant. It is of three types:

- Infrasonic waves - 0 to 20,000 Hz
- Audible waves - 20 to 20,000 Hz
- Ultrasonic waves - $>20,000$ Hz

Properties of Sound Wave

Reflection

- The bouncing back of sound when it strikes a hard surface, is called reflection of sound.
- The laws of reflection of light are also obeyed during reflection of sound.
- The working of megaphone, sound boards and ear trumpet is based on reflection of sound.

- The repetition of sound due to reflection of sound waves, is called an **echo**.
- The persistence of hearing on human ear is $\frac{1}{10}$ th of a second.
- The minimum distance from a sound reflecting surface to hear an echo is nearly 17 m.
- Sound proof rooms are made of two layers of walls having vacuum between them.
- **Reverberation** arises due to multiple reflection of sound.
- While designing an auditorium for speech or musical concerts, one has to take proper care for the absorption and reflection of sound.
- Time taken by reverberant sound to decrease its intensity by a factor of 10^6 is called **reverberation time**.
- **Refraction**
- When a sound wave move from one mechanical medium to another mechanical medium, it shows deviation from the original path of the incident wave. The phenomenon is called refraction. It is due to difference in speed of sound in media.
- **Diffraction**
- When sound waves originated by a vibrating source, they spread in the medium and if the medium is homogeneous, this leads to bending of sound waves around the edges. Which is known as diffraction.
- The sound waves diffracted broadly and one can easily hear the voice of the another person.

Musical Scale

- In theory of music, a musical scale is a set of musical notes by the frequencies of which are in simple ratios to one another. Sa, re, ga, ma, pa, dha, ni is one such scale called the diatonic scale. The interval sa-sa is called an octave (8).

Noise Reduction in Recording Media

- Five types of noise reduction system exists in recording media as discussed below

- Dolby A noise reduction system, intended for use in professional recording studios. It provided about 10 dB of broadband noise reduction.
- Dolby B was developed to achieve about 9 dB noise reduction primarily for cassettes. It was much simpler than Dolby A and therefore less expensive to implement in consumer products.
- Dolby C provides about 15 dB noise reduction.
- Dolby SR (Spectral Recording) system is much more aggressive noise reduction approach than Dolby A. Dolby SR is much more expensive to implement than Dolby B or C, but it is capable of providing upto 25 dB noise reduction in the high frequency range.
- Dolby S is found on some Hi-Fi and semi-professional recording equipment. It is capable of 10 dB of noise reduction at low frequencies and upto 24 dB of noise reduction at high frequencies.

- The **outer ear** is called **pinna**. It collects the sound from the surroundings. The **middle ear** transmits the amplified pressure variations received from the sound wave to the **inner ear**.
- In the inner ear, the pressure variations are turned into electrical signals by the cochlea. These electrical signals are sent to the brain via the auditory nerve and the brain interpret them as sound.

HEAT

- Heat is the form of energy which produces the sensation of warmth. Its SI unit is joule and other unit is calorie (1 cal = 4.2 Joule).
- The transfer of heat is always from hotter to colder body.

Temperature

- Temperature is measure of hotness or coldness of a body.
- The heat flows from one body to another due to the difference in their body temperature.

Scale of Temperature

- To measure the temperature of a body following temperature scales are used.
- **Celsius scale** of temperature freezing point is 0°C Boiling point of water is 100°C
- **Fahrenheit scale** of temperature ice point or freezing of water = 32° F
- Boiling point of water = 212° F
- **Kelvin or absolute scale** of temperature ice point of water = 273° K
- Boiling point of water = 373° K
- **Reaumur scale** of temperature ice point of water is 0° R,
- Boiling point of water = 80°R

Relation between Different Scales of Temperature

Different scales of temperature are related as follows:

$$\frac{C}{100} = \frac{F - 32}{180} = \frac{R}{80} = \frac{K - 273}{100}$$

K = 273 + °C

- At temperature - 40°C = - 40°F, Celsius scale is equal to Fahrenheit.
- The temperature at which the three phases of water remains at equilibrium is called triple point of water (273.16 K)

Doppler's Effect

The apparent change in the frequency of source due to relative motion between the source and observer is called Doppler's effect.

Applications of Doppler's Effect

The measurement of Doppler shift (based on Doppler's effect) has been used -

- By police to check over speeding of vehicles.
- At airports to guide the aircraft.
- To study heart and blood flow in different parts of the body.
- By astrophysicist to measure the velocities of planets and stars.

SONAR

- SONAR stands for **Sound Navigation And Ranging**. It is used to measure the depth of a sea, to locate the enemy submarines and shipwrecks.
- The transmitter of a sonar produces pulses of ultrasonic sound waves of frequency of about 50000 Hz. The reflected sound waves are received by the receiver.
- **Human Ear**
- We are able to hear with the help of an extremely sensitive organ of our body called the ear. There are three parts of human ear.

Thermometers

• The instruments used to measure temperature of a body is called thermometer.

Thermometers are of following three types -

1. **Clinical thermometer** - It is used to measure human body temperatures and ranges from 96° F to 110°F or 35°C to 43°C.

2. **Electronic thermometer** - Basic components of an electronic thermometer are thermistors or thermoresistors. Range of electronic thermometer is -40° to 450°F.

3. **Other thermometers** - These include constant volume gas thermometer, platinum resistance thermometer etc.

- Clinical thermometer measures temperature in degree fahrenheit (°F).
- In thermometer, mercury is commonly used through a wide range from -30°C to 300°C.
- Thermometer was developed by **Galileo** who found that the gases expand on heating.

Thermal Expansion

- The expansion of a body caused by heat is known as thermal expansion.

Thermal Expansion of Solids

Thermal expansion of solids is of three types

1. Expansion in length on heating, is called **linear expansion**. The increase in length of a rod of unit length of a substance due to increase in its temperature by 1°C is called the **coefficient of linear expansion** of the substance of that rod. It is represented by α .

$$\alpha = \frac{\text{Increase in length}}{\text{Initial length} \times \text{Rise in temperature}} = \frac{\Delta L}{L \times \Delta t}$$

– Its unit is °C⁻¹.

2. Expansion in area on heating, is called **superficial expansion**. Coefficient of superficial expansion is given as

$$\beta = \frac{\text{Increase in area}}{\text{Initial area} \times \text{Rise in temperature}} = \frac{\Delta A}{A \times \Delta t}$$

– Its unit is °C⁻¹.

3. Expansion in volume on heating, is called **volume expansion** or **cubical expansion**.

Coefficient of volume or cubical expansion is given as

$$\gamma = \frac{\text{Increase in volume}}{\text{Original volume} \times \text{Rise in temperature}} = \frac{\Delta V}{V \times \Delta t}$$

– Its unit is °C⁻¹

Relation between Coefficients of Expansions

- Coefficients of thermal expansions are related as
- $\beta = 2\alpha$ and $\gamma = 3\alpha$
- and $\alpha : \beta : \gamma = 1 : 2 : 3$
- In laying a railway line, a small gap is left in between two iron rails otherwise railway line will become curved on heating in summer.
- Telephone wires are not tighten on poles because in winter, wires get contract and can break.

Thermal Expansion of Liquids

- In liquids, only expansion in volume takes place on heating.
- Expansion of liquid is of two types:
- When expansion of the container, containing liquid, on heating, is not taken into account, then observed expansion is called **apparent expansion** of liquids.
- When expansion of the container, containing liquid, on heating, is also taken into account, then observed expansion is called **real expansion** of liquids.

$$\gamma_r = \gamma_a + \gamma_g$$

where, γ_r and γ_a , are coefficients of real and apparent expansion of liquids and γ_g = coefficient of cubical expansion of the container.

Anomalous Expansion of Water

When temperature of water is increased from 0°C, then its volume decreases up to 4°C, becomes minimum at 4° C and then increases. This behavior of water expansion around 4°C is called, anomalous expansion of water.

Thermal Expansion of Gases

- There are two types of coefficient of expansion in gases.
- At constant pressure, the change in volume per unit volume per degree celsius, is called **volume coefficient** (γ_v).
 - At constant volume, the change in pressure per unit, pressure per degree celsius, is called **pressure coefficient** (γ_p).

Calorimetry

- Amount of heat required to raise the temperature of 1 g of water by 1°C is called 1 calorie.

- Calorimetry states that heat lost by hotter body equals the heat gained by colder body.

Specific Heat

- The amount of heat required to raise the temperature of unit mass (m) of a substance through 1°C, is called its specific heat (s).
- It is denoted by s and its unit is 'cal/g°C or Joule/g°C.
- The specific heat of water is 4200 J/kg¹/°C or 1000 cal/ g¹/° C-, which is high compared with most other substances. Therefore, water is used as coolant in radiator in vehicle and hot water is used for the fermentation.
- Heat energy given or taken to change the temperature of a body is given by
 $Q = ms\Delta\theta$
 where, m = mass of the body
 and $\Delta\theta$ = change in temperature.
 The amount of heat required to raise the temperature of 1 mole of a gas by 1°C is called molar specific heat.

Latent Heat

- The heat energy absorbed or released at constant temperature per unit mass for change of state, is called **latent heat**.
- It is denoted by L and its SI unit is cal/g or kcal/kg.
- Heat energy absorbed or released during change of state is given by
 $Q = mL$
 where, m = mass of the substance.
- Latent heat of fusion of ice is 80 cal/g.
- Latent heat of vaporisation of steam is 536 cal/g.

Thermodynamics

The branch of physics which deals with the study of relation of heat energy with different types of energy is called thermodynamics.

Zeroth Law

- Zeroth law of thermodynamics tells about thermal equilibrium.

First Law

- As per first law about energy, heat given to a substance is equal to sum of change in internal energy and work done.

Second Law

- In second law work can be converted into heat and vice-versa but conversion is not possible with 100% efficiency.
- It is impossible for a machine operating in a cyclic process to convert heat completely into work, it is **kelvin's statement**.
- Heat by itself can not transfer from a colder to a hotter body. It is **clausius statement**. Refrigerator is based on this statement.
- **Heat engine** is a device which converts heat into mechanical work. Internal combustion and external combustion heat engine are two types of heat engine.
- Car engine uses coolant added with water to reduce harmful effects like corrosion, rusting etc. Such as ethylene glycol, potassium dichromate etc,
- **Carnot's theorem** tells about maximum efficiency of heat engine. It refers to carnot cycle.
- **Entropy** measures the molecular disorder of a system and is a thermodynamic function depending only on the temperature of the system.
- **Evaporation** is a process in which molecules escape slowly from the surface of a liquid.
- For a given liquid the rate of evaporation depends on the temperature and area of evaporating surface.
- **Refrigerator** is a device used for cooling things by the evaporation and compression of a volatile liquid inside a copper coil.

Humidity

- The presence of moisture in the atmosphere, is called humidity.
- The amount of water vapour present in the unit volume of atmosphere, is called **absolute humidity**.
- The **relative humidity** of air at a given temperature is the ratio of mass of water vapour present in a certain volume of air to the mass of water vapour required to saturate the same volume of air at the same temperature, multiplied by 100.
- Relative humidity is measured by **hygrometer**.
- Relative humidity of about 50% is considered comfortable at temperature 22° - 25° C.
- If the relative humidity is very low in air, then lips become dry and cracks appear in them.
- If relative humidity is very high in air then the sweat from our body does not evaporate readily and therefore we feel uncomfortable.

- **Air conditioning** provides comfortable conditions by regulating temperature and humidity.

Transmission of Heat

- Heat can be transferred from one place to another by process of transmission.
- There are three methods of transmission of heat.

Conduction

- The mode of transmission of heat in solids from higher temperature part to lower temperature part without actual movement of the particles, is called conduction.
- Transmission of heat in solids takes place mainly through conduction.
- Metals are good conductors of heat.
- Wood, cotton, wool, glass are bad conductors of heat, dry air is also a bad conductor of heat.
- Woollen clothes do not allow the heat of our body to escape and therefore we feel warm.
- On a cold night two thin blankets give more warmth than a single thick blanket because the layer of air between the two blankets works as a better insulator.
- Refrigerators and ice-boxes have double walls having thermocol between them which minimise heat gain by conduction.

Convection

- The mode of transmission of heat in fluids (liquids and gases) due to actual movement of the particles, is called convection.
- In liquids and gases, heat is transmitted by convection.
- When a liquid in a vessel is heated at the bottom, the liquid at bottom gets heated and expands.
- Due to its lower density, hot liquid rises and its place is taken by cold liquid from above. Convection currents are set up in the liquid until the temperature of the whole liquid becomes same.
- The cooling unit in a refrigerator is fitted near the top as cold air move downward and keeps cool the whole interior.
- Radiator in a motor car works on the principle of convection.

Newton's Law of Cooling

The rate of loss of heat from a body is directly proportional to the difference in temperatures of the body and its surroundings.

If we take hot water and fresh water and put it in a refrigerator, then rate of cooling of hot water will be faster than the fresh tap-water.

- **Sea Breeze** During day time, the seashore warms up much faster than sea water. Hot air over the seashore rises and cooler air from sea water moves towards seashore to take its place resulting in a sea breeze.
- **Land Breeze** At night, land cools faster than sea water. Now hot air over sea water rises and cooler air from land moves towards sea to take its place and resulting in a land breeze.
- Cloudy night are warmer than clear night because clouds reflect the radiations emitted by the earth at night and keep it warm.

Radiation

- The process of heat transmission in the form of electromagnetic waves, is called radiation.
- Radiation does not require any medium for propagation and it propagates without heating the intervening medium.

Black Body

- A body that absorbs all the radiation incident on it is called perfectly black body.
- Ratio of heat absorbed (radiation) to total incident radiation for a body is called absorptive power (a) of body. It has no unit.
- Amount of heat radiation per unit area of the surface at a given temperature is called emissive power of the surface.
- Its unit is $J/m^2 - s$.
- The ratio of emissive power and absorptive power of a body is always same. It is equal to emissive power of a black body. This is known as **Kirchhoff's law**.
- White colour is a bad absorbers and good reflectors of heat radiations while black colour is good absorbers and bad reflectors of heat. Therefore, clothes of light colors give better feeling in summer and clothes of dark colors give better feeling in winter.

MATTER

Matter

Matter is considered as any thing which has weight and occupy space. It exist in three states: Solid, liquid and gas.

Solid

It is that, state of matter which has definite shape and definite volume. In this state molecules are very closely packed.

Properties of Solids

Elasticity

The property of a body by virtue of which it regain its original configuration after the removal of deforming force, is called elasticity. Quartz and phosphor bronze are almost perfectly elastic bodies.

Plasticity

The property of a body by virtue of which it does not regain its original configuration after the removal of deforming force, is called plasticity.

Strain

The fraction I change in configuration i.e. length, volume and shape, is called strain. Strain has no unit.

On the basis of change in configuration, strain is of three types

- Longitudinal strain = $\frac{\Delta l}{l}$
- Volume strain = $\frac{\Delta V}{V}$
- Shearing strain = $\Delta\theta/\theta$

Stress

The internal restoring force acting per unit area of cross-section of a deformed body, is called stress. Stress is of two types

- Normal stress
- Tangential stress

The maximum deforming force upto which a body retains its property of elasticity is called the limit of elasticity of the material body. The minimum stress required to break a wire is called breaking stress.

The torque required to produce a given twist in a hollow cylinder is greater than that required to produce the same twist in a solid cylinder. Therefore, hollow shaft is stronger than a solid shaft. Springs are made of steel, not of copper as Young's modulus of elasticity of steel is more than that of copper.

Elastic Limit

It is the limit of stress and strain upto which a wire remains elastic.

Plastic Behaviour

If the wire is stretched beyond the elastic limit, the strain increases much more rapidly. If the stretching force is removed, the wire does not comes back to its natural length.

Fracture Point

If the deformation is increased further the plastic behaviour, the wire breaks at a point known as fracture point.

Ductile and Brittle Materials

If large deformation takes place between the elastic limit and the fracture point, the material is called ductile. If the wire breaks soon after the elastic limit is crossed, it is called brittle.

Elastic Fatigue

It is the property of an elastic body by virtue of which its behaviour becomes less elastic under the action of repeated alternating deforming force. Due to elastic fatigue, the bridges becomes less elastic after a use of long time and therefore are declared unsafe.

Fluid

A substance which begins to flow under an external force is called a fluid. Liquids and gases are fluids.



Fluid Density

The ratio of mass to the volume of a body is called its density. (i.e. mass present in its unit volum(e)). It is a scalar quantity having SI unit kg/m^3 . The density of

water is 1000 kg/m^3 . The density of water is maximum at 4°C .

Hydrometer - It is an instrument used to measure density or relative density of liquid. Its working is based on law of floatation.

Fluid Pressure

Thrust (the normal forc(e) exerted by a liquid per unit area of the surface in contact at rest, is called fluid pressure.

Fluid pressure $(p) = \frac{F}{A}$. Its unit is Nm^{-2} or Pascal (P(a)).

Atmospheric Pressure

The pressure exerted by the atmosphere, is called atmospheric pressure.

Aneroid barometer is used to measure atmospheric pressure and height of a place.

Other units of atmospheric pressure are torr and bar.

Pascal's Law

The pressure exerted anywhere at a point of confined fluid is transmitted equally and undiminished, in all directions throughout the liquid.

Hydraulic lift, hydraulic press hydraulic brakes works on the basis of Pascal's law.

Buoyancy

When a body is partially or wholly immersed in a liquid, an upward force acts on it, which is called buoyant force or upthrust and this property of fluids is called buoyancy.

Buoyant force is equal to the weight of the liquid displaced by the submerged part of the body.

The buoyant force acts at the centre of gravity of the liquid displaced by the submerged part of the body, which is called 'centre of buoyancy'.

Archimedes Principle

When a body is partially or completely immersed in a quid, it loses some of its weight. The loss in weight is equal to the weight of the liquid displaced by the submerged part of the body.

Law of Floatation

A body will float in a liquid if weight of the body is equal weight of the liquid displaced by the immersed part of the body.

In floating condition, the centre of gravity (g) and the centre of buoyancy (B) of the floating body must lie on the same straight line.

Ice and large icebergs float on water surface as its density (0.92 g/cm^3) is lesser than the density of water.

When a piece of ice floats on water, its $\left(\frac{11}{12}\right)$ th part submerged in water and $(1/12)$ th part is outside the water.

In sea water, $(8/9)$ th part of icebergs is submerged and $(1/9)$ th part is outside the water during floating.

It is easier to swim in sea water than in a river as density of sea water is greater than the density of river water. In sea water, buoyant force is greater than that in river water.

The density of human body is less than the density of water but the density of human head is greater than the density of water. Therefore, during swimming a person displaces the liquid with hands and legs and total weight of displaced liquid becomes equal to the weight of the body.

Surface Tension

The property of a liquid by virtue of which it tries to minimise its free surface area is called surface tension. The minimum surface area of a given amount of liquid is for spherical shape. Therefore, rain drops are spherical.

Factors Affecting Surface Tension

Temperature -The surface tension of a liquid decreases with increase in temperature.

Soluble Impurities - If the impurities are less soluble in liquid, then its surface tension decreases. If impurities are highly soluble in liquid, then its surface tension increases. Surface tension of a liquid becomes zero at critical temperature.

- **Applications of Surface Tension**
- When soap, detergent, dettol, phenyl etc., are mixed in water then its surface tension decreases. When salt is added in water, its surface tension increases.
- When oil spreads over the surface of water, its surface tension decreases.
- When kerosene oil is sprinkled on water, its surface tension decreases. As a result the larva of mosquitoes floating on the surface of water die due to sinking.
- Warm soup is tasty because at high temperature its surface tension is low and consequently the soup spreads on all parts of the tongue.

- Antiseptics like dettol have low surface tension and therefore it reaches in the tiny cracks of the wound and cleans the germs and bacteria.
- The surface tension of soap solution in water is less than the surface tension of pure water. Therefore, soap solution cleans greasy strains of clothes better than pure water.

Capillarity

The phenomenon of rising or falling of liquid column in a capillary tube (glass tube of very fine bore) is called capillarity.

Examples of Capillarity -

1. A piece of blotting paper soaks ink because the pores of the blotting paper serve as capillary tubes.
2. The oil in the wick of a lamp rises due to capillary action of threads in the wick.
3. The root hairs of plants draw water from the soil through capillary action.
4. To prevent loss of water due to capillary action, the soil is loosened and split into pieces by the farmers.
5. If a capillary tube is dipped in water in an artificial satellite, water rises up to other end of tube because of its zero apparent weight, how long the tube may be.
6. Action of towel in soaking up water from the body is due to capillary action of cotton in the towel.
7. Melted wax, in a candle rises up to wick by capillary action.

Cohesive and Adhesive Forces

The intermolecular force of attraction acting between the molecules of same substance is called **cohesive force**. e.g., Intermolecular force of attraction acting between the molecules of water, mercury etc.

The intermolecular force of attraction acting between the molecules of different substance is called **adhesive force**. For e.g., Intermolecular force of attraction acting between the molecules of paper and gum, paper and ink, etc.

Viscous force: The force which opposes the relative motion between different layers of liquid or gases is called viscous force.

Viscosity: Viscosity is the property of a liquid by virtue of which it opposes the relative motion between its different layers. Viscosity is the property of liquids and

gases both. The viscosity of a liquid is due to cohesive force between its molecules.

The viscosity of a gas is due to diffusion of its molecules from one layer to other layer.

Viscosity of gases is much less than that of liquids. There is no viscosity in solids.

Viscosity of an ideal fluid is zero.

With rise in temperature, viscosity of liquids decreases and that for gases increases.

Viscosity of a fluid is measured by its coefficient of viscosity. Its SI unit is decapoise (kg/ms) or pascal second. It is generally denoted by η .

Stoke's Law

According to this law, the viscous force depends upon the coefficient of viscosity, velocity of the moving object and its size.

Terminal Velocity

When a small spherical body falls through a long liquid column its velocity increases gradually but later on it becomes constant, called terminal velocity.

The radius of spherical rain drops is very small therefore their terminal velocity is also small, with which they strike the earth's surface. When a liquid flows through a pipe, its speed is maximum near axis and minimum near the walls of the pipe.

Bernoulli's Theorem

If a non-viscous and incompressible liquid is flowing in stream-lined flow then total energy, i.e., sum of pressure energy, kinetic energy and potential energy, per unit volume of the liquid remains constant. Venturi tube and aspirator pump work on Bernoulli's theorem.

According to Bernoulli's theorem, with increase in velocity of liquid its pressure decreases and vice-versa.

During storms or cyclones, the roofs of the huts or tinned roofs are blown off because wind blows with very high speed over the top of the roof and therefore pressure of air decreases. Due to the pressure difference of air above and below the roof, a lifting force acts on the roof. If it is sufficient to balance the weight of the roof it starts to fly off.

Magnus Effect : Motion of a Spinning Ball

When swing bowlers deliver the ball, the ball changes its plane of motion in air.

LIGHT

REFLECTION OF LIGHT (Law of Reflection)

(i) The angle of incidence is equal to the angle of reflection.

(ii) The incident ray, the normal, the point of incidence and the reflected ray, all lie in the same plane.

Spherical Mirrors & their Uses

Uses of concave mirrors

- Concave mirrors are commonly used in torches, search-lights and vehicles headlights to get powerful parallel beams of light.
- They are often used as shaving mirrors to see a larger image of the face. The dentists use concave mirrors to see large images of the teeth of patients.
- Large concave mirrors are used to concentrate sunlight to produce heat in solar furnaces.

Uses of convex mirrors

Convex mirrors are commonly used as rear-view (wing) mirrors in vehicles, enabling the driver to see traffic behind him/her to facilitate safe driving. They always give an erect, though diminished, image. Also, they have a wider field of view as they are curved outwards. Thus, convex mirrors enable the driver to view much larger area than would be possible with a plane mirror.

REFRACTION OF LIGHT

The refraction of light when it passes from a fast medium to a slow medium bends the light ray toward the normal to the boundary between the two media. When a thick glass slab is placed over some printed matter, the letters appear raised when viewed through the glass slab the bottom of a tank or a pond containing water appears to be raised seen a pencil partly immersed in water in a glass tumbler. It appears to be displaced at the interface of air and water.

A lemon kept in water in a glass tumbler appears to be bigger than its actual size, when viewed from the sides.

The following are the laws of refraction of light :

(i) The incident ray, the refracted ray and the normal to the interface of two transparent media at the point of incidence, all lie in the same plane.

(ii) The ratio of sine of angle of incidence to the sine of angle of refraction is a constant, for the light of a given colour and for the given pair of media. This law is also known as Snell's law of refraction. If i is the angle of incidence and r is the angle of refraction, then,
 $\sin i / \sin r = \text{constant}$.

The one with the larger refractive index is optically denser medium than the other. The other medium of lower refractive index is optically rarer. The speed of light is higher in a rarer medium than a denser medium.

DISPERSION OF WHITE LIGHT BY A GLASS PRISM

The prism has probably split the incident white light into a band of colors. The sequence of colors VIBGYOR . The splitting of light into its component colors is called dispersion.

Different colors of light bend through different angles with respect to the incident ray, as they pass through a prism. The red light bends the least while the violet the most. Thus the rays of each colour emerge along different paths and thus become distinct. It is the band of distinct colors that we see in a spectrum.

A rainbow is a natural spectrum appearing in the sky after a rain shower. It is caused by dispersion of sunlight by tiny water droplets, present in the atmosphere. A rainbow is always formed in a direction opposite to that of the Sun. The water droplets act like small prisms. They refract and disperse the incident sunlight, then reflect it internally, and finally refract it again when it comes out of the raindrop. Due to the dispersion of light and internal reflection, different colors reach the observer's eye.

ATMOSPHERIC REFRACTION

The air just above the fire becomes hotter than the air further up. The hotter air is lighter (less dens(e) than the cooler air above it, and has a refractive index slightly less than that of the cooler air. Since the physical conditions of the refracting medium (air) are not stationary, the apparent position of the object, as seen through the hot air, fluctuate. This wavering is thus an effect of atmospheric refraction (refraction of light by the earth's atmosphere).

Twinkling of stars

The twinkling of a star is due to atmospheric refraction of starlight.

Advance sunrise and delayed sunset

The Sun is visible to us about 2 minutes before the actual sunrise, and about 2 minutes after the actual sunset because of atmospheric refraction.

SCATTERING OF LIGHT

Scattering of light is the phenomenon by which a beam of light is redirected in many different directions when it interacts with a particle of matter.

The blue colour of the sky, colour of water in deep sea, the reddening of the sun at sunrise and the sunset.

Total Internal Reflection

Total internal reflection is a phenomenon that occurs when light travels from a more optically dense medium to a less optically dense one, such as glass to air or water to air.

Examples of Total Internal Reflection -

(a) Mirage - Hotter air is less dense, and has smaller refractive index than the cooler air. On hot summer days, the air near the ground becomes hotter than the air at higher levels noticed that while moving in a bus or a car during a hot summer day, a distant patch of road, especially on a highway, appears to be wet. This is also due to mirage.

(b) Diamonds - Their brilliance is mainly due to the total internal reflection of light inside them.

(c) Optical fibres too make use of the phenomenon of total internal reflection. Light undergoes repeated total internal reflections along the length of the fibre there is no appreciable loss in the intensity of the light signal.

Tyndall Effect

The Tyndall effect is the scattering of light as a light beam passes through a colloid. The individual suspension particles scatter and reflect light, making the beam visible.

The earth's atmosphere is a heterogeneous mixture of minute particles like smoke, tiny water droplets, suspended particles of dust and molecules of air. When a beam of light strikes such fine particles, the path of the beam becomes visible.

Tyndall effect is seen when a fine beam of sunlight enters a smoke-filled room through a small hole. Tyndall effect can also be observed when sunlight passes through a canopy of a dense forest.

Power of Accomodation of Eye - The ability of the lens to change its shape to focus near and distant objects is called accommodation. A normal human eye can see objects clearly that are between 25 cm and infinity.

Defects of Vision and Their Correction

Nearsightedness: If the eyeball is too long or the lens too spherical, the image of distant objects is brought to a focus in front of the retina and is out of focus again before the light strikes the retina. Nearby objects can be seen more easily. Eyeglasses with concave lenses correct this problem by diverging the light rays before they enter the eye. Nearsightedness is called myopia.

Farsightedness: If the eyeball is too short or the lens too flat or inflexible, the light rays entering the eye – particularly those from nearby objects – will not be brought to a focus by the time they strike the retina. Eyeglasses with convex lenses can correct the problem. Farsightedness is called hypermetropia.

Astigmatism : Astigmatism is the most common refractive problem responsible for blurry vision. Most of the eyeball's focusing power occurs along the front surface of the eye, involving the tear film and cornea (the clear 'window' along the front of the eyeball). The ideal cornea has a perfectly round surface. Anything other than perfectly round contributes to abnormal corneal curvature- this is astigmatism. Cylindrical lens is use to correct astigmatism.

MAGNETISM AND ELECTRICITY

Electricity – Flow of Electrons is called Electricity.

- The electricity produced by friction between two appropriate bodies, is called static electricity, it is also called **frictional electricity**.

Coulomb's law - The electrostatic force of interaction acting between two stationary point charges is directly proportional to the product of magnitude of charges and inversely proportional to the square of the distance between them.

$$F = K(q_a q_b) / r^2.$$

Electric Field

- The space in the surrounding of any charge in which its influence can be experience by other charge, is called electric field.

- **Electric field intensity (E)** at any point is defined as the electrostatic force (**F**) acting per unit positive test charge (q) at the point.
- $E = \frac{F}{q}$
- Its unit is newton/coulomb.
- Therefore, electric field intensity is inversely proportional to the square of the distance r from the point charge.

Electric Field Lines

- An **electric field line** is an imaginary line, so that its tangent at any point is in the direction of the electric field vector at that point.
- Two lines can never intersect. Electric field lines always begin on a positive charge and end on a negative charge and do not start or stop in mid-space.

Electric Potential

- **Electric potential** at a point in an electric field is equal to the work done per unit charge in carrying a test charge from infinity to that point. Its unit is joule/coulomb.
- Electric potential, $V = \frac{W}{q}$.
- Potential difference is that physical quantity which decides the direction of flow of charge between two points in electric field.
- Positive charge always tends to move from higher potential towards lower potential.

Electric Dipole and Capacitor

- An **electric dipole** consists of two equal and opposite point charges separated by a very small distance.
- **Electric dipole moment** of the dipole is product of charge and the separation between the charges.
- A **capacitor or condenser** is a device over which a large amount of charge can be stored without changing its dimensions.
- The **capacitance** of a conductor is equal to the ratio of the charge (q) given to the conductor to change in its potential (V) is given by $C = \frac{q}{V}$.
- Its unit is coulomb/volt or farad. Farad (F) is a large unit of capacitance. Its practical unit is microfarad (μF).
- $1\mu F = 10^{-6}F$

Type of Materials

- **Conductors** are those type of materials which have number of free electrons to conduct the electricity. The metals are good conductors of electricity.
- **Insulators** are that type of materials which do not have the free electrons in its volume and hence, it does not conduct the electricity at all.
- **Semiconductor** is that type of materials which do not have free electrons at the normal temperature, but has the free electrons at the increased temperature and hence, behaves like a conductor. The materials such as silicon, germanium etc., are the semiconductor.

Electric Current

- An electric current whose magnitude and direction do not change with time is called direct current, and whose magnitude changes continuously and direction changes periodically is called alternating current.
- Inverter is a device which converts DC to AC.
- In solid conductors, electric current flows due to flow of electrons, in liquids due to flow of ions as well as electrons and in semiconductors due to flow of electrons and holes.
- Its S.I. unit is Ampere

Resistance

- Resistance is the opposition that a substance offers to the flow of electric current.
- It is represented by R.
- **Its S.I. unit is ohm.**

Conductance

- **Conductance and conductivity** is the reciprocal of resistance and the resistivity of the material respectively. The SI unit of conductance is Ω^{-1} i.e., mho and to that of conductivity is $\Omega^{-1}m^{-1}$.

Resistivity

- Resistivity of a material depends on the temperature and nature of the material depends on temperature and nature of the material. It is independent of dimensions of the conductor, i.e., length, area of cross-section etc.
- Resistivity of metals increases with increase in temperature.

Combination of Resistances

- It resistance R_1, R_2 and R_3 are connected in **series**, then their equivalent resistance is given by $R = R_1 + R_2 + R_3$
- In series combination, equal current flows through each resistors but Voltage varies.
- If resistances R_1, R_2, R_3 are connected in **parallel**, then their equivalent resistance is given by $\frac{1}{R} = \frac{1}{R_1} + \frac{1}{R_2} + \frac{1}{R_3}$
- In parallel combination, potential difference across each resistor remains same but current varies.

Ohm's law

- It states that if physical conditions of any conductor such as temperature, pressure etc., remain unchanged, then electric current (I) flowing through it, is directly proportional to the potential difference (V) applied across its ends, i.e., $I \propto V$ or $V = IR$
- where, R is the electrical resistance of the conductor.

Electric Cell

- An electric cell is a device which converts chemical energy into electrical energy.
- Electric cell are of two types

Primary cell cannot be charged. Voltaic, Daniel and Leclanche cells are primary cells.

Secondary cell can be charged again and again. Acid and alkali accumulators are secondary cells.

- Working of electric cells is based on chemical effect of electric current.

Emf of a Cell

- The work done by the cell to bring a (+)ve charge from its own terminal to the other is known as its emf (electromotive forc(e)). Electromotive force is work but not a force.

Joule's Law of Heating

- Current can produce three effects: heating effect, magnetic effect and chemical effect.
- Heat is produced in conductor in time t is given by $H = I^2Rt = \frac{V^2}{R}t = VIt$
- This is known as **Joule's law of heating**.
- Electric bulb, electric kettle, heater etc., devices work on the basis of heating effect of electric current.

- To protect the domestic appliances from sudden change in electricity, fuses are used. It is made of tin, lead, alloy (63% + 37%).
- It should have high resistance and low melting point always connected in series.

Electric power

- The electrical energy produced or consumed per unit time is called electric power.
- Electric power, $P = VI = I^2R = \frac{V^2}{R}$
- 1 kWh = 3.6×10^6 J

Chemical Effect of Electric Current

- When an electric current is passed through an acidic or basic solution, it decomposes into its positive and negative ions. The positive ions collect at negative electrode (cathod(e)) and the negative ions collect at positive electrode (anod(e)).
- This phenomenon is called electrolysis. It is chemical effect of current. The process of coating of a base metal with a layer of more expensive metal, is called **electroplating**.

Domestic Electrification

- From the distribution, the two terminals are supplied to the houses named as live and neutral (neutral is earthed at local substation). The third terminal is introduced as the earth for the safety in the building.

Lightning Appliance

- The electric discharge occurring between two charged clouds or between a charged cloud and earth can damage the houses or buildings. To protect this lightning conductors are used.

Magnetism

- A magnet is a material which can attract iron objects.
- A natural magnet is an ore of iron (Fe_3O_4) called magnetite or lodestone.
- A magnet which is prepared artificially, is called an **artificial magnet**.
- A freely suspended magnet always aligns itself into North-South direction. Like magnetic poles repel and unlike magnetic poles attract each other.
- A current-carrying coil containing a soft iron core, is called an **electromagnet**.
- An electromagnet is utilised in electric bell, telegraph receiver, telephone diaphragm, transformer, dynamo etc.

- Permanent magnets are made of steel and temporary magnet or electromagnets are made of soft iron because steel cannot magnetised easily but when it is magnetised one time, cannot be demagnetised easily. The soft iron can be magnetised or demagnetised easily.

Properties of Magnet

- **Attractive property:** A magnet can attract small pieces of magnetic substances like iron, steel, cobalt, nickel etc. The attraction is maximum at poles. Unlike poles attract and like poles repel.
- **Directive property:** A magnet, when suspended freely, aligns itself approximately along geographical N-S line.
- **Magnetic poles exist in pairs:** If a magnet is cut into two equal parts transverse to its length, then N and S-poles of the magnet do not get separated.

Magnetic Field

- The space in the surrounding of a magnet or a current carrying conductor in which its magnetic effect can be experienced, is called magnetic field.
- **Magnetic lines of force** is an imaginary line drawn in magnetic field at which a magnetic North pole will move, if it is free to do so.
- A tangent drawn at any point of an magnetic line of force represents the direction of magnetic field at that point.
- The **magnetic flux** linked with a surface is equal to the total number of magnetic lines of force passing through that surface normally. Its unit is weber.

Earth's Magnetism

- The earth has its own magnetic field. The pole near the geographic North of the earth is called the magnetic North pole. Similarly, the pole near the geographic South pole is called the magnetic South pole.
- The Earth's magnetic field diverts charged particle coming from space towards its poles and saves living beings from being severely harmed.
- **Magnetic compass** A magnetic needle which always direct in North-South (N-S) direction.

Magnetic storm

- Local disturbances in the earth's magnetic field which can damage telecommunication which are

probably caused by lump of charged particles emanating from the sun is known as magnetic storm.

- In the Arctic Circle, they are known as Aurora Borealis or the northern lights, while in the Antarctic Circle they are called Aurora Australis or the southern lights.
- **Moving Coil Galvanometer**
- A moving coil galvanometer is used to detect the presence of current and the direction of current in any circuit.

Ammeter and Voltmeter

- An ammeter is an instrument used to measure electric current. It is always connected in series. The resistance of an ideal ammeter is zero.
- A **galvanometer** can be converted into an ammeter by connecting a low resistance in parallel.
- A voltmeter is a device used to measure potential difference between two points in an electric circuit.
- The resistance of an ideal voltmeter is infinity. It is always connected in parallel.
- A galvanometer can be converted into a voltmeter by connecting a high resistance in series.
- A small resistance connected in parallel with the load resistance to reduce amount of electric current through resistor is called shunt.

Magnetic Substances

- There are three types of magnetic substances Paramagnetic, Diamagnetic and Ferromagnetic.

Paramagnetic Substances

- Those substances which are feebly magnetised in the direction of magnetic field when placed in strong magnetic field, are called **paramagnetic substances**.
- For examples – Aluminium, platinum, chromium, manganese, solutions of salts of iron, nickel, oxygen etc.
- These substances are attracted towards strong magnetic field in a non-uniform magnetic field.
- The magnetism of these substances decreases with increase in temperature.

Diamagnetic Substances

- Those substances which are feebly magnetised in the opposite direction of magnetic field when placed in strong magnetic field are called diamagnetic substances.

- For examples – Gold, silver, zinc, copper, mercury, water, alcohol, air, hydrogen etc.
- These substances are attracted towards weak magnetic field in a non-uniform magnetic field.
- The magnetism produced in these substances does not change with increase or decrease in temperature.

Ferromagnetic Substances

- Those substances which are strongly magnetised in the direction of magnetic field when placed in it, are called ferromagnetic substances.
- For examples – Iron, nickel, cobalt etc.
- The magnetism produced in these substances decreases with increase in temperature and at a particular temperature, called Curie temperature.
- At the **Curie temperature**, a paramagnetic substance becomes diamagnetic.
- Curie temperature for iron is 770°C and for nickel is 358°C.

Electromagnetic Induction (EMI)

- Whenever the magnetic flux linked with an electric circuit changes, an emf is induced in the circuit. This phenomenon is called electromagnetic induction.

Faraday's Laws of EMI

- Whenever the magnetic flux linked with a circuit changes, an induced emf is produced in it. The induced emf loses as long as the change in magnetic flux continues.

Lenz's Law

- The direction of induced emf or induced current is always in such a way that it opposes the cause due to which it is produced.

Eddy Current

- If a piece of metal is placed in a varying magnetic field or rotated with high speed in a uniform magnetic field, then induced current set up in the piece is like whirlpool of air, called eddy current, also known as **foucault's current**.

Uses

- Eddy currents are used in dead beat galvanometer, induction furnaces, induction motor, speedometers of automobiles etc.
- Eddy currents are used in diathermy for deep heat treatment of the human body.

Self and Mutual Induction

- The phenomenon of production of induced emf in a circuit due to change in current flowing in its own, is called **self induction**.
- The unit of self induction is Henry (H).
- The phenomenon of production of induced emf in a circuit due to change in magnetic flux in its neighbouring circuit, is called **mutual induction**.
- Its unit is Henry (H).

Alternating Current

- An electric current whose magnitude and direction changes continuously is called alternating current. The frequency of alternating current in India is 50 Hz.
- Mean or average value of AC is zero for one complete cycle.
- **Root mean square value** of AC is given by
- $I_{rms} = \frac{I_0}{\sqrt{2}}$
- An AC ammeter and AC voltmeter read root mean square value of alternating current and alternating voltage respectively.

AC Generator or Dynamo

- It is a device which Inverts mechanical energy into alternating current.
- Its working is based on electromagnetic induction.

DC Motor

- It is a device which converts electrical energy into mechanical energy.
- Its working is based on the fact that when a current carrying coil is placed in uniform magnetic field, a torque acts on it.

Transformer

- It is a device which can change a low voltage current into a high voltage current and vice-versa.
- Its working is based on mutual induction.

Step-up Transformer

- It converts a low voltage current into a high voltage current.

Step-down Transformer

- It converts a high voltage current into a low voltage current.

NUCLEAR REACTOR

A nuclear reactor is a device that contains and controls sustained nuclear chain reactions. In nuclear reactors, the nuclear fission is controlled by controlling the number of neutrons released during the fission. The energy liberated in a controlled manner is used to produce steam, which can run turbines and produce electricity.

Fuel (Uranium - 235 , Plutonium-239)

The fissionable material is used in the reactor along with a small neutron source. The solid fuel is made into rods and is called fuel rods.

Role of extra neutron -

These neutrons in turn can initiate fission processes, producing still more neutrons, and so on. This starts a chain reaction. Slow neutrons (thermal neutrons) are much more likely to cause fission in $^{235}\text{U}_{92}$ than fast neutrons. Fast neutrons liberated in fission would escape instead of causing another fission reaction.

If the chain reaction is uncontrolled, it leads to explosive energy output, as in a nuclear bomb or Atom bomb. Each time an atom splits, it releases large amounts of energy in the form of heat.

Moderators -(water, heavy water (D_2O) and graphit(e)
Light nuclei called moderators are provided along with the fissionable nuclei for slowing down fast neutrons.

Core - The core of the reactor is the site of nuclear fission. It contains the fuel elements in suitably fabricated form.

Reflector-The core is surrounded by a reflector to reduce leakage. The energy (heat) released in fission is continuously removed by a suitable coolant.

Coolant - (water, heavy-water, liquid sodium, helium, Liquid oxygen)

The coolant transfers heat produced during fission to a working fluid which in turn may produce steam. The steam drives turbines and generates electricity.

Control rods- (cadmium, Boron)

The reactor can be shut down by means of rods (made of, for example, cadmium, Boron) that have high absorption of capacity of neutrons. cadmium and boron can absorb neutrons to form the corresponding isotopes, which are not radioactive.

Shield - The whole assembly is shielded with heavy steel or concrete to check harmful radiation from coming out.

WORK, POWER AND ENERGY

Work

Work is a scalar quantity. Its SI unit is joule and CGS unit is erg. $1 \text{ joule} = 10^7 \text{ erg}$.

Work done by a force is zero when

-Body is not displaced actually, i.e. $s = 0$

-Body is displaced perpendicular to the direction of force i.e. $\theta = 90^\circ$.

Work done by a variable force

If we throw a ball upward, work done against gravity is given by, $W = mgh$

where, $m =$ mass of the body,

$g =$ acceleration due to gravity and

$h =$ height through which the ball is raised.

The centripetal force acts on a body perpendicular to the direction of motion. Therefore, work done by or against centripetal force in circular motion is zero.

If a coolie is carrying a load on his head and moving on a horizontal platform, then work done by force of gravity is zero as displacement is perpendicular to the direction of force of gravity.

Energy

Energy of a body is its capacity of doing work. It is a scalar quantity and its SI unit is joule.

Energy can be transformed into work and vice-versa with the help of some mechanical device.

There are two types of Mechanical Energy, which are as follows

Kinetic Energy

The energy possessed by a body by virtue of its motion is called its kinetic energy.

Kinetic energy of the body of mass m moving with velocity v is given by $K = \frac{1}{2}mv^2$.

Potential Energy

The energy possessed by any object by virtue of its position or configuration is called its potential-energy.

Gravitational potential energy, $U = mgh$.

Einstein's Mass-Energy Relation

According to this relation, the mass can be transformed into energy and vice-versa.

When Δm mass is disappeared, then produced energy

$$E = \Delta mc^2$$

where, c = speed of light in vacuum .

Law of Conservation of Energy

Energy can neither be created nor be destroyed, only one type of energy can be transformed into other form of energy.

Only for conservative forces, (total mechanical energy)

initially = (total mechanical energy) finally.

Some Equipment used to Transform Energy		
S.	Equipment	Energy Transformed
1.	Dynamo	Mechanical energy into electrical energy
2.	Candle	Chemical energy into light and heat energy.
3.	Microphone	Sound energy into electrical energy.
4.	Loud Speaker	Electrical energy into sound energy.
5.	Solar Cell	Solar energy into electrical energy.
6.	Tube light	Electrical energy into light energy.
7.	Electric Bulb	Electrical energy into light and heat energy.
8.	Battery	Chemical energy into electrical energy.
9.	Electric motor	Electrical energy into mechanical energy.
10.	Sitar	Mechanical energy into sound energy.

Gravitation

Each and every massive body attracts each other by virtue of their masses. This phenomenon is called gravitation.

Newton's Law of Gravitation

The gravitational force acting between two point objects is directly proportional to the product of their masses and inversely proportional to the square of the distance between them.

$$\text{Gravitational force } (F) = \frac{Gm_1m_2}{r^2}$$

where, G is universal gravitational constant.

Its value is $6.67 \times 10^{-11} \text{ N - m}^2 \text{ kg}^{-2}$.

Gravitational force is a central as well as conservative force.

Acceleration Due to Gravity of Earth

The uniform acceleration produced in a freely falling body due to the earth's gravitational pull, is called acceleration due to gravity, $g = \frac{GM}{R^2}$

where, M = mass of the earth, R = radius of the earth.

The value of g changes slightly from place to place but its value near the earth's surface is 9.8 ms^{-2} .

Gravitational force is the weakest force in nature. It is 10^{36} times smaller than electrostatic force and 10^{38} times smaller than nuclear force.

Factors Affecting Acceleration due to Gravity

Shape of Earth - Earth is not completely spherical its radius at equator is approximately 42 km greater than its radius at poles. The value of g is maximum at poles and minimum at equator. There is no effect of rotation of the earth at poles and maximum at equator.

Effect of Altitude - g decreases with altitude.

Effect of Depth - g decreases with depth and becomes zero at centre of the earth.

Mass and Weight

The mass of a body is the quantity of matter contained in it. It is a scalar quantity and its SI unit is kg.

Mass is measured by an ordinary equal arm balance.

Mass of a body does not change from place to place and remains constant.

The weight of a body is the force with which it is attracted towards the centre of the earth. Weight of a body (w) = mg

The centre of gravity of a body is that point at which the whole weight of the body appears to act.

The centre of gravity of a body can be inside the material of the body or outside it.

It is a vector quantity and its SI unit is newton (N). It is measured by a spring balance.

Weight of a body is not constant, it changes from place to place.

Weight of a Body in a Lift

When lift is rest or in uniform motion The weight recorded in spring balance (i.e. apparent weight) is equal to the real weight of the body $w = mg$.

When lift is accelerating upward The weight recorded in spring balance is greater than then real weight of the body $w' = m(g + a)$

When lift is accelerating downward The weight recorded in spring balance is smaller than the real weight of the body $w' = m(g - a)$.

When lift is falling freely under gravity The apparent weight of the body

$$w' = m(g - g) \quad (\because a = g)$$

$$w' = 0$$

Therefore, body will experiences weightlessness.

Weight of a Body at the Moon

As mass and radius of moon is lesser than the earth, so the force of gravity at the moon is also less than that of the earth. It's value at the moon's surface is $\frac{g}{6}$.

Satellite

A heavenly body revolving around a planet in an orbit is called a satellite. Moon is a natural satellite of the earth.

The satellite may be artificial. Artificial satellites are of two types.

Geostationary Satellites

It revolves around the earth in equatorial orbits which is also called Geostationary or Geosynchronous orbit. The time period of these satellites is 24 hour.

Polar Satellites

These satellites revolve around the earth in polar orbits at a height of approximately 800 km.

Weather monitoring which is predicted on the basis of information about moisture present in air, atmospheric pressure etc, obtained through a **polar satellite**.

We are able to see a live telecast of cricket world cup match or other programme with the help of a communication satellite which is a geostationary satellite.

Launching vehicles - PSLV & GSLV.

Time Period of a Satellite

It is the time taken by a satellite to complete one revolution.

If satellite is near the earth's surface, then $T = 2\pi \sqrt{\frac{R}{g}} \approx 84.6 \text{ min.}$

Escape Velocity

Escape velocity: Escape velocity is that minimum velocity with which a body should be projected from the surface of earth so as it goes out of gravitational field of earth and never return to earth. Escape velocity is independent of the mass, shape and size of the body and its direction of projection.

Escape velocity is also called second cosmic velocity. For earth, escape velocity = 11.2 km/s.

For moon, escape velocity = 2.4 km/s.

Orbital Velocity

Orbital velocity of a satellite $V_0 = \sqrt{gR}$ and escape velocity $V_e = \sqrt{2gR}$ where R = Radius of earth. i.e. $V_e = \sqrt{2}V_0$ i.e. escape velocity is $\sqrt{2}$ times the orbital velocity.

There if the orbital velocity of a satellite is increased to $\sqrt{2}$ times (increased by 41%), the satellite will leave the orbit and escape.



**DFCCIL 2021
Notification Out**

Learn with India's No.1 Platform with highest selections



ENROLL NOW

CHEMISTRY for DFCCIL 2021 Exam

Substance (or chemical substanc(e)) : A “substance” is a kind of matter that can not be separated into other kinds of matter by any physical process. e.g. gold, silver, iron, sodium chloride, calcium carbonate etc.

Pure substance: is one that is a single substance and has a uniform composition. Such a substance always have the same texture and taste. e.g. water, salt, sugar etc.

Types of pure substances : Two different types of pure substances are

(i) Element: An element is a substance which can not be split up into two or more simpler substances by usual chemical methods of applying heat, light or electric energy. e. g. hydrogen, oxygen, sodium, chlorine etc.

(ii) Compound: A compound is a substance made up of two or more elements chemically combined in a fixed ratio by weight e.g. H₂O (water), NaCl (sodium chlorid(e)) etc.

Mixture : A mixture is a substance which consists of two or more elements or compounds not chemically combined together. e.g. Air is a mixture of nitrogen, oxygen, inert gases, water vapour, carbon dioxide etc.

Types of mixtures : Mixtures are impure substances. They are of two types:

(i) Homogeneous mixture: It has a uniform composition throughout and its components can not be distinguished visually.

e.g. A well mixed sample of vinegar.

(ii) Heterogeneous mixture: It is one that is not uniform throughout. Different samples of a heterogeneous mixture may have different composition. e.g. a mixture of salt and pepper.

Solution : It is a homogeneous mixture of two or more substances whose composition can be varied.

e.g. Solution of common salt in water, solution of ammonia in water.

Separating the components of a mixture : Various methods are used for separating the constituents of a mixture.

1. Insoluble solid in solvent - Sedimentation followed by filtration. In case of a fine solid centrifugation is used instead of filtration
2. Solution of solid in liquid - Evaporation, crystallization, distillation
3. Miscible mixture of liquids - Fractional distillation
4. Immiscible mixture of liquids - Separating funnel
5. Mixture of two solids one of which is sublime - Sublimation
6. Mixture of substances in solution - Chromatography

Solute : The component of solution that is dissolved and present in smaller quantities in a solution is known as solute. e.g. common salt in case of solution of common salt in water and ammonia in case of solution of ammonia in water.

Solvent : The component of solution in which solute is dissolved is known as solvent. It is always present in larger amount in a solution. e.g. water in case of the solution of common salt or ammonia in water.

Saturated Solution : A solution in which no more solute can be dissolved at the same temperature is called Saturated solution.

Unsaturated Solution : It is a solution in which more solute can be dissolved at the same temperature.

Super-saturated Solution : It is a solution which contains more mass of the dissolved solute than the saturated solution at the same temperature and pressure.

Alloys : Alloys are homogeneous mixtures of metal and can not be separated into their components by physical methods.

e.g. Brass is a mixture of copper (Cu) and zinc (Zn).

Concentration of a solution : Concentration of a solution is the amount of solute present in a given amount (mass or volum(e)) of a solution or the amount of solute dissolved in a given mass or volume of a solvent.

Amount of solute Concentration = Amount of solvent

Solubility : It is defined as the amount of solute dissolved in 100g of solvent to form a saturated solution.

Suspension : It is a non-homogeneous mixture in which solids are dispersed in liquids. In it the solute particles

do not dissolve but remains suspended through out the bulk of the medium.

Colloids or colloidal solution : Colloid is a heterogeneous mixture. The size of particles of a colloid is intermediate between true solutions and suspensions (i.e between 1nm and 100 nm). The particles of a colloid can not be seen with naked eye.

Types of colloidal solution : Since colloidal solution is heterogeneous mixture it consists of two phases. These are

- (i) dispersed phase (colloidal particles)
- (ii) dispersion medium (The medium in which colloidal particles are disperse(d)).

Emulsion : Emulsions are liquid-liquid colloids.

Types of Emulsion : Emulsions are of two types :

- (i) water in oil (ii) oil in water

Emulsifiers are those substances that help in forming stable emulsions of oil and water, e.g. milk, cod-liver oil, cold creams, vanishing creams, moisturising cream, paints, etc.

Elements - Elements are a type of pure substances. An element is a substance that can not be split into two or more simpler substances by usual chemical methods of applying heat, light or electric energy.

Types of elements : Elements have been divided into metals and non-metals. All metals (except mercury) are solids. e.g. sodium, potassuim, gold, silver etc.

All non-metals are solids or gases (Bromine is an exception as it is a liquid non-metal) e.g. hydrogen, oxygen, carbon, bromine, chlorine, iodine etc.

Compound : A compound is a substance made up of two or more elements chemically combined in a fixed ratio by weight. e.g. water (H₂O) is a compound made up of two

Elements. Hydrogen and Oxygen chemically combined in a fixed proportion of 1: 8 by weight.

ACID, BASE AND SALTS

1. Acid

- An acid is a compound, produce hydrogen ions, H⁺(aq), in solution, which are responsible for their acidic properties.
- According to Bronsted-Lowry theory, an acid is any species that can donate a proton to another species.

- Hydrogen ions cannot exist alone, but they exist after combining with water molecules.so, on dissolving in water yields hydronium ions (H₃O⁺) as the only positive ions.
- The presence of hydrogen ions make acids strong and good electrolytes.
- **Strong Acid:** Examples of strong acids are: hydrochloric acid, sulphuric acid, nitric acid etc.

Weak Acid: Examples are: acetic acid, formic acid, carbonic acid etc.

Acids are generally sour in taste and corrosive.

- Indicators : Test whether a substance is acidic or basic.
- Eg: Turmeric, litmus, china rose petals (Gudhal), etc., are some of the naturally occurring indicators.
- Litmus is extracted from lichens a plant belonging to the division Thallophyta . It has a purple colour in distilled water. When added to an acidic solution, it turns red and when added to a basic solution, it turns blue.
- The solutions which do not change the colour of either red or blue litmus are known as neutral solutions. These substances are neither acidic nor basic.
- Olfactory indicators: There are some substances whose odour changes in acidic or basic media.

Uses of Acids

Acids are obtained from two different sources. They can be organic or mineral acids. All acids have some common characteristic properties.

Sources of the acid	Name of the acid
Vinegar	Acetic acid
Citrus fruits	Citric acid
Grapes, tamarind, gooseberries	Tartaric acid
Sour milk	Lactic acid
Apples	Malic acid
Curd	Butyric acid
Tea, tomatoes	Oxalic acid
Sting of red ants and bees	Formic acid
Proteins	Amino acids

Guava, oranges	Ascorbic acid
----------------	---------------

Note: The process of dissolving an acid or a base in water is a highly exothermic one. The acid must always be added slowly to water with constant stirring.

2. Bases and Alkalis

- A Base is a substance that gives OH⁻ ions when dissolved in water. Bases are usually metal hydroxides (MOH).
- According to Bronsted-Lowry theory, a base is a proton acceptor.
- Bases are soapy substances with a bitter taste .
- The strength of a base depends on the concentration of the hydroxyl ions when it is dissolved in water.
- Bases soluble in water are called alkalis. All alkalis are bases but all bases are not alkalis.

Strong Base:

Examples: Sodium hydroxide: NaOH (caustic sod(a), Potassium hydroxide: KOH(caustic potash), Calcium hydroxide: Ca(OH)₂.

Weak Base:

Examples: Magnesium hydroxide: Mg(OH)₂, Ammonium hydroxide: NH₄OH.

3. Salt: A salt is an ionic compound that can be formed by the neutralization reaction of an acid and a base.

USES OF SALTS IN INDUSTRIES:

- (i) Sodium chloride is used in the manufacture of chlorine, caustic soda, washing soda and baking soda.
- (ii) Ammonium salts are used as fertilizers.
- (iii) Potassium nitrate is used in the manufacture of gun powder and fire works.
- (iv) Silver bromide is used in photography.
- (v) Potassium Chlorate is used in the match industry.
- (vi) Aluminium sulphate is used in preparing alums.

pH SCALE

The p in pH stands for 'potenz' in German, meaning power. The scale that measures the strength of an acid or a base is called the pH scale. This value lies between 0 and 14.

- Higher the hydronium ion concentration, lower is the pH value.
- The pH of a neutral solution is 7. Values less than 7 on the pH scale represent an acidic solution. As the pH value increases from 7 to 14, it represents an

increase in OH⁻ ion concentration in the solution, that is, increase in the strength of alkali.

- Most food crops grow best at a PH of 7-7.8. If the soil is too acidic then its pH can be raised by adding lime (or slaked lim(e) which neutralizes the excess acid in the soil. Similarly, if the soil is too alkaline then its pH can be lowered by adding gypsum or some other substance which can neutralize the excess alkali present in the soil.
- The medium in our stomach is highly acidic and has pH around 1.2. Our stomach produces hydrochloric acid which helps in digestion of food. Magnesium hydroxide (Milk of magnesi(a), a mild base, is an antacid which neutralises the excess acid.
- Tooth decay starts when the pH of the mouth is lower than 5.5.
- Acid Rain- When pH of rain water is less than 5.6, it is called acid rain.
- Gastric juice - 1.2
- Lemon Juice - 2.2
- Pure water - 7.4
- Milk of magnesia - 10
- Sodium hydroxide solution - 14
- Blood pH : For proper functioning our body needs to maintain blood pH between 7.35 and 7.45. Values of blood pH greater than 7.8 or less than 6.8 often results in death.
- Note - The atmosphere of venus is made up of thick white and yellowish clouds of sulphuric acid.

STRUCTURE OF ATOM

The atomic theory of matter was first proposed by John Dalton. Fundamental particles of an atom are Electron, Proton and Neutron.

1. **Proton(p):** Discovered by E. Goldstein
 - Protons are positively charged.
 - The absolute charge on the electron to be $+ 1.6 \times 10^{-19} \text{ C}$.
2. **Electron (e):** Discovered by J.J. Thomson when he was studying the properties of cathode ray.
 - Irish physicist George Johnstone Stoney named this charge 'electron' in 1891.
 - Electrons are negatively charged.
 - The absolute charge on the electron to be $- 1.6 \times 10^{-19} \text{ C}$.

- e/m_e as: $= 1.758820 \times 10^{11} \text{ C kg}^{-1}$
- The charge of an electron was measured by R. Millikan in Oil drop experiment.

3. Neutrons(n) - Discovered by J. Chadwick

- It has no charge and a mass nearly equal to that of a proton
- The mass of a neutron is taken as one unit each

Atomic nucleus - Discovered by E Rutherford

- The fast moving alpha (α)-particles (doubly-charged helium ions) were made to fall on a thin gold foil.
- The mass of an atom is the sum of the masses of protons and neutrons present in the nucleus.

Valency

- The number of electrons gained, lost or shared so as to make the octet of electrons in the outermost shell, is called valency.
- The atoms of elements, having a completely filled outermost shell show little chemical activity, their valency is zero.
- An outermost-shell, which had eight electrons is said to possess an octet. Atoms would thus react, so as to achieve an octet in the outermost shell.
- The chemical behavior of an atom depend upon the number of electrons orbiting around the nucleus.

Atomic Number

The atomic number is defined as the total number of protons present in the nucleus of an atom. It is denoted by "Z".

Mass number

The mass number is defined as the sum of the total number of nucleons (protons and neutrons) present in the nucleus of an atom.

Isotopes

- Atoms which have the same atomic number but different mass numbers. The chemical properties of isotopes are similar but their physical properties are different. But some isotopes have special properties which find them useful in various fields. Some of them are :

- An isotope of uranium is used as a fuel in nuclear reactors.
- An isotope of cobalt is used in the treatment of cancer.
- An isotope of iodine is used in the treatment of goiter

Radioactive isotopes

- Arsenic-74 → detect tumors
- Sodium-24 → Blood clot
- Iodine-131 → Activity of thyroid gland
- Cobalt-60 → Treat of cancer

Isobars - Atoms of different elements with different atomic numbers, which have the same mass number, are known as isobars.

Isotones - Atoms having same number of neutrons.

Isoelectronic - Isoelectronic refers to two atoms, ions or molecules that have the same electronic structure and same number of valence electrons.

Mass defect - The mass defect is the difference between the rest mass of a nucleus and the sum of the rest masses of its constituent nucleons.

SOME COMMON ELEMENTS & COMPOUNDS

1. Carbon:

- Carbon exhibits allotropy and shows maximum catenation.
- Carbon occurs both in free state as diamond, coal etc. and also in the combined form as CO_2 .
- Diamond is one of the allotropic forms of carbon and is the purest form of natural carbon. It is the hardest natural substance.
- Graphite is also an allotropic form of carbon, which is very soft and slippery. Graphite are prepared artificially by Acheson process.
- Fullerene (C_{60}) looks like a soccer ball. It contains 20-six membered and 12-five membered rings of carbon atoms.
- Graphene is an allotrope of carbon. It is a strong substance and used as a conducting material for touch screen, LCD and LED.

Compounds of Carbon

Carbon monoxide (CO)

- Carbon monoxide (CO) combines with haemoglobin to form carboxyhaemoglobin which is not able to absorb oxygen and as a result of this, suffocation takes place (Asphyxi(a)).

- The death of persons in closed rooms with wood, coal or coke fires and in closed bathrooms with gas geyser is due to the formation of carbon monoxide.

Carbon dioxide (CO₂)

- 0.03-0.05 percent in atmosphere.
- Solid CO₂ is known as dry ice. It is used in refrigerators under the name drikold. It is used in transport of perishable food materials as it provides cold as well as the inert atmosphere.

Carbides

They are the compounds of carbon with metals or electronegative elements.

- Destructive distillation of coal gives products like coal gas, gas carbon, coal tar and ammoniacal liquor.
- Lamp Black is also known as Soot.

2. Nitrogen:

- Nitrogen is a neutral gas and is neither combustible nor a supporter of combustion.
- In air - 79% of Nitrogen is present (by volum(e)). In combined state, nitrogen is found as nitrates (Chile saltpetre – sodium nitrate (NaNO₃), Indian saltpetre – potassium nitrate (KNO₃))

Compounds of Nitrogen

Ammonia

- It is prepared from nitrogen and hydrogen by Haber's process. It has pungent odour.
- Ammonia is used in manufacturing fertilizers and explosives etc.
- Nitrogen fixation involves the fixation of atmospheric nitrogen into nitrate by lightning and by nitrogen fixing bacteria called Rhizobia.

3. Oxygen:

- Oxygen is an important constituent of atmosphere (21% by volum(e)). Supporter of combustion.
- Liquid oxygen mixed with freshly divided carbon, is used in place of dynamite in coal mining.
- Ozone(O₃) - It protects the life on the earth by not allowing UV rays to reach the Earth. The common refrigerants, chlorofluorocarbons deplete this ozone layer.
- Its bleaching action is due to its oxidizing action.
- Ozone is also used as a germicide and disinfectant, for sterilizing water.

4. Phosphorus (P):

- It is highly reactive non-metal, so it occurs only in combined state.
- Phosphorus is an essential constituent of bones, teeth, blood and nerve tissues. Bone ash contains about 80% of phosphorus.

5. Sulphur (S):

- It occurs in free state in volcanic region.
- Rhombic sulphur is the most stable form at ordinary temperature and all other forms gradually change into this form.

Compounds of Sulphur

- **Sulphuric acid** is also known as **oil of vitriol** or **king of chemicals**. It has a great affinity for water and thus it acts as a powerful dehydrating agent. Corrosive action of sulphuric is due to its dehydrating action.
- **Hypo** (Sodium thiosulphate) It is mainly used in photography as a fixing agent. It is used to remove undecomposed silver halide on photographic paper or film.

7. Halogens:

Halogens are highly reactive elements and therefore, they do not exist in free state but exist only in combined form.

Halogens have highest electron affinity so they act as strong oxidizing agent.

Their oxidizing power decreases from fluorine to iodine.

Chlorine:

Chlorine was first discovered by Scheele (1774)

Chlorine is used as a germicide, disinfectant, oxidizing agent, bleaching agent in paper and textile industry.

Chlorine being an acidic gas turns moist blue litmus paper to red and then bleaches it.

Iodine (I₂)

Chile saltpeter or **caliche** contains iodine as sodium iodate (5-20%).

It turns starch solution blue. Solution of KI/I₂ is used in the treatment of goiter. It is used as an antiseptic as tincture of iodine.

8. Noble Gases

- Helium (H(e)), Neon (N(e)), Argon (Ar), Krypton (Kr), Xenon (X(e)) and Radon (Rn) are known as inert gases or noble gases or rare gases.
- These elements have completely filled valence shell.

- In atmosphere, argon is most abundant noble gas but in universe, helium is most abundant gas.
- Natural gas is the most important source of helium.
- The mixture of helium and oxygen is used for artificial breathing of asthma patients.
- 85% helium + 15% hydrogen is used for filling in balloons and airships.
- Mixture of helium and oxygen is used for respiration by sea divers.
- Helium is used as pressurizing agent in rockets to expel liquid oxygen and liquid hydrogen.
- Xe is also known as stranger gas and Xe-Kr is used in high intensity photographic flash tubes.
- Radon is used in the preparation of ointment for the treatment of cancer.

Water (H₂O):

- Water is called the "Universal Solvent".
- Hardness of water - Two types of hardness
- Temporary hardness - Water is said to be temporarily hard when it contains bicarbonates of calcium and magnesium (or hydrogen carbonates). This type of hardness can be easily removed by boiling.
- Permanent hardness - Water is said to be permanently hard when it contains sulphates and chlorides of calcium and magnesium. This hardness cannot be removed by boiling.
- **Degree of Hardness** - It is defined as the number of parts of CaCO₃ or equivalent to various calcium or magnesium salts present in 10⁶ parts of water by mass.
- Heavy water is prepared either by prolonged electrolysis or by fractional distillation of ordinary water. Heavy water (D₂O) is colourless, tasteless and odourless liquid. Fission in uranium-235 is brought by slow speed neutron. Heavy water is used for this purpose in nuclear reactors as moderators.

Hydrochloric Acid (HCl): Hydrochloric acid is prepared by dissolving hydrogen chloride gas in water. It reacts with metals to form their respective chlorides and liberates hydrogen.

Hydrochloric acid is used in the production of dyes, drugs, paints, photographic chemicals and in the preparation of aqua-regia. Aqua regia is a mixture of nitric acid and hydrochloric acid, optimally in a molar

ratio of 1:3. Aqua regia is a yellow-orange fuming liquid because it can dissolve the noble metals gold and platinum.

Nitric Acid (HNO₃): It is manufactured by the Ostwald's Process by the reaction of ammonia and air in presence of platinum as catalyst.

- Nitric acid is colourless in pure form. Commercial Nitric acid is yellowish due to the presence of dissolved nitrogen dioxide.
- Nitric acid is a strong monobasic acid. It ionizes in water readily.
- Nitric acid is a strong oxidizing agent. When it undergoes thermal decomposition, it yields nascent oxygen.

BAKING SODA

- Chemically Baking soda is sodium hydrogen carbonate, NaHCO₃.
- Baking soda is manufactured by Solvay process.

USES

1. Used for cooking of certain foods.
2. For making baking powder (a mixture of sodium hydrogen carbonate and tartaric acid). On heating during baking, baking soda gives off carbon dioxide. It is this carbon dioxide which raises the dough. The sodium carbonate produced on heating the baking soda gives a bitter taste. Therefore, instead of using the baking soda alone, baking powder is used. The tartaric acid present in it neutralises the sodium carbonate to avoid its bitter taste.
3. In medicines Being a mild and non-corrosive base, baking soda is used in medicines to neutralise the excessive acid in the stomach and provide relief. Mixed with solid edible acids such as citric or tartaric acid, it is used in effervescent drinks to cure indigestion.
4. In soda acid fire extinguishers.

WASHING SODA

- Chemically, washing soda is sodium carbonate decahydrate, Na₂CO₃.10H₂O.
- Washing soda is manufactured by Solvay process.

USES

1. It is used in the manufacture of caustic soda, glass, soap powders, borax and in paper industry.
2. For removing permanent hardness of water.
3. As a cleansing agent for domestic purpose.

PLASTER OF PARIS

- Plaster of Paris, also called POP.
- Chemically, it is $2\text{CaSO}_4 \cdot \text{H}_2\text{O}$ or $\text{CaSO}_4 \cdot 1/2\text{H}_2\text{O}$ (Calcium Sulphate Hemi Hydrat(e))
- Gypsum, ($\text{CaSO}_4 \cdot \text{H}_2\text{O}$) is used as the raw material

USES

1. In making casts for manufacture of toys and statues.
2. In hospitals for making plaster casts to hold fractured bones in place while they set. It is also used for making casts in dentistry.
3. For making the surface of walls and ceiling smooth.
4. For making 'chalk' for writing on blackboard.
5. For making fire proof materials.

BLEACHING POWDER

- Bleaching is a process of removing colour from a cloth to make it whiter.
- Chemically, it is calcium oxychloride, CaOCl_2 .
- It is manufactured by Hasen-Clever Method.

USES

1. For bleaching of cotton, linen and wood pulp.
2. In making wool unshrinkable.
3. Used as disinfectant and germicide for sterilization of water.
4. For the manufacture of chloroform.
5. Used as an oxidizing agent in chemical industry.

CHEMISTRY IN EVERYDAY LIFE

Synthetic Materials

The materials created by man using the natural materials, are known as synthetic materials.

Cement

- It was discovered by an English Mason, Joseph Aspdin in 1824. He called it Portland cement because he thought that it resembled the limestone found in Portland.
- **Approximate Composition of Portland cement**
- Calcium oxide (CaO) 60-70%
- Silica (SiO_2) 20-25%
- Alumina (Al_2O_3) 5-10%
- Ferric oxide (Fe_2O_3) : 2-3%
- Raw materials are limestone (provides lim(e), clay (provides alumina and silic(a), gypsum (reduces the setting time of cement).

- When water is mixed with cement and left as such for sometime, it becomes a hard mass. This is know as setting of cement. It is an exothermic process, therefore cement structures have to be cooled upto 7 days by sprinkling water.
- Mortar is a mixture of cement, sand and water. It is used for plastering walls and binding bricks and stones.
- Concrete is a mixtures of cement, sand, gravel or small pieces of stone and water. It is used for the construction of floors.
- The structure having iron rods embedded in wet concrete, is known as **reinforced concrete**.

Glass ($\text{Na}_2\text{O} \cdot \text{CaO} \cdot 6\text{SiO}_2$)

- It is a supercooled liquid of silicates.
- Raw material used for the formation of glass are sodium carbonate, calcium carbonate and sand.
- Finely powdered mixture known as **batch**, is mixed with cullet (broken glass pieces) and then fused in a tank furnace at 1673 K. After few hours, molten glass is obtained.
- Molten glass is cooled slowly and uniformly. The process of slow and uniform cooling is known as **Annealing**
- Different addition may produce different coloured glasses.

Substance used	Colour of glass
Cuprous oxide	Red
Cupric oxide	Peacock blue
Potassium dichromate	Green or Greenish yellow
Ferrous oxide	Green
Ferric oxide	Brown
Manganese dioxide	Light pink, in excess black
Cobalt oxide	Blue
Gold chloride	Ruby
Cadmium	Yellow
Carbon	Amber colour

Variety of glass and Uses

- **Soft glass** - It is a mixture of sodium or calcium silicates. It is used in making window glass, mirrors and common glass wares etc.

- **Hard glass** - It is a mixture of potassium and calcium silicates. It is more resistant to the action of acids for making hard glass apparatus.
- **Flint glass** - It is mainly a mixture of sodium, potassium and lead silicates. It is used in making bulbs and optical instruments.
- **Pyrex glass** (Borosilicate glass) - It is used in making pharmaceutical containers, lab apparatus and over ware.
- **Quartz glass** (Silica glass) - It is used in the preparation of chemical apparatus and optical instrument.
- **Crookes glass** - It is used for making lenses for spectacles.
- **Photochromatic glass** - On exposure to bright light, photochromatic glass darkens temporarily. So, it is very useful as a Sun shield.
- **Safety glass** - The three layers are joined together by the action of heat and pressure. It does not break easily under impact and is used in auto vehicle wind shield.
- **Optical glass** - It is used for making lenses for microscope, telescope and spectacles.
- **Glass fibres** - used as insulating material in oven, refrigerator etc.
- **Optical fibres** - are extensively used in telecommunication surgical operations etc. Optical fibres can transmit images round corners.
- **Lead crystal glass** - Lead glass has a high refractive index. So, it is used for making expensive glass ware.
- **Etching of glass** - Glass is attacked by hydrofluoric acid (H(F), therefore it is used in the etching of glass.

CHEMICALS IN AGRICULTURE

Fertilizers

- Urea is the best fertilizer as it leaves only carbon dioxide after ammonia, has been assimilated by plants.
- It has 46.6% Nitrogen and it does not alter the pH of the soil.

- Mixture of $\text{Ca}(\text{CN})_2$ and C is known as **nitrolim**. Commercially, calcium nitrate is known as Norwegian saltpetre.
- The mixture of nitrogenous, phosphatic and potash fertilizers in suitable amounts, is called **NPK fertilizers**.

Pesticides

Pesticides are the chemicals which are applied to crops, e.g. DDT and **malathion**.

Difethialone

Vitamin K has been suggested and +successfully used, as antidote for pets or humans accidentally or intentionally exposed to anticoagulant poisons.

Chemicals in medicines

Analgesics (Pain relievers)

These reduce pain. Aspirin and paracetamol are non-narcotic analgesics. Aspirin reduces fever, prevents platelet coagulation.

Narcotic analgesics are chiefly used for the relief of post operative pain, cardiac pain and pains of terminal cancer and in child birth.

Polymerization

- Polymers are defined as high molecular mass macromolecules, which consist of repeating structural units derived from the corresponding monomers.
- Polymers occur in nature also. Cotton, for example, is a polymer called cellulose. Cellulose is made up of a large number of glucose units.

On the basis of intermolecular forces Polymers are classified as:

1. Elastomers- rubber, buna-S, buna-N, neoprene etc.
2. Fibres - polyamides (nylon 6, 6), polyesters (Terylen(e), etc.
3. Thermoplastic polymers - Such plastic which gets deformed easily on heating and can be bent easily are known as thermoplastics. Polythene and PVC, Polythene, Polystyrene, Polyvinyls, etc.
4. Thermosetting Polymers - some plastics which when moulded once, can not be softened by heating. These are called thermosetting plastics. eg: bakelite, melamine etc.

Few important polymers are:

(a) Polythene

(i) Low density polythene-polymerisation of ethene under high pressure in the presence of traces of dioxygen or a peroxide initiator (catalyst).

(ii) High density Polythene - polymerisation of ethene in the presence of a catalyst such as triethylaluminium and titanium tetrachloride (Ziegler-Natta catalyst).

(b) Polytetrafluoroethene (Teflon)- Teflon is manufactured by heating tetrafluoroethene with a free radical or persulphate catalyst at high pressures.

(c) Polyacrylonitrile - polymer of acrylonitrile in presence of a peroxide catalyst.

Condensation Polymerisation

(a) **Polyamides** - possess amide linkages

(i) Nylon 6, 6 - prepared by the condensation polymerization of hexamethylenediamine with adipic acid under high pressure and at high temperature

(ii) Nylon 6 - obtained by heating caprolactum with water at a high temperature.

(b) **Polyesters** - polycondensation products of dicarboxylic acids and diols. Polyester is another synthetic fibre. Fabric made from this fibre does not get wrinkled easily. It remains crisp and is easy to wash. So, it is quite suitable for making dress material.

Eg: Terylene is the best known example of polyesters. It is prepared by ethylene glycol and terephthalic acid. It can be drawn into very fine fibres that can be woven like any other yarn.

(c) **Phenol** - formaldehyde polymer (Bakelite and related polymers)

Prepared by the condensation reaction of phenol with formaldehyde in the presence of either an acid or a base catalyst.

The initial product could be a linear product - Novolac used in paints. Novolac on heating with formaldehyde undergoes cross linking to form an infusible solid mass called bakelite. It is used for making combs, phonograph

records, electrical switches and handles of various utensils.

Eg. Melamine - Melamine formaldehyde polymer is formed by the condensation polymerisation of melamine and formaldehyde. Melamine is a versatile material. It resists fire and can tolerate heat better than other plastics. It is used for making floor tiles, kitchenware and fabrics which resist fire. It is used in the manufacture of unbreakable crockery.

Copolymerisation.

Natural rubber - Natural rubber may be considered as a linear polymer of isoprene (2-methyl-1, 3-butadiene) and is also called as cis - 1, 4 - polyisoprene.

Vulcanisation of rubber- This process consists of heating a mixture of raw rubber with sulphur and an appropriate additive at a temperature range between 373 K to 415 K so that rubber gets stiffened.

Synthetic Rubbers -

(i) **Neoprene** - by the free radical polymerisation of chloroprene.

Rayon - rayon or artificial silk. Although rayon is obtained from a natural source, wood pulp, yet it is a man-made fibre.

Nylon - Nylon is also used for making parachutes and ropes for rock climbing. A nylon thread is actually stronger than a steel wire.



CLASSIFICATION OF ELEMENTS

Mendeleev's Periodic Table (1869)

States that, "the physical and chemical properties of elements are the periodic function of their atomic masses."

Modern Periodic Law

"The physical and chemical properties of the elements are periodic function of their atomic numbers."

Long Form of Periodic Table

Long form of periodic table or Bohr's table is based on **Bohr-Burry concept** of electronic configuration. It contains 7 periods (horizontal rows) and 18 groups.

Periodic Properties

The properties which are repeated at regular intervals are known as periodic properties, i.e. periodic properties show a regular order along a group and period. Some important periodic properties are

Ionisation Enthalpy

It is the minimum energy required to remove an electron from an isolated gaseous atom of an element to form a positive ion.

Electron gain enthalpy

It is the energy released by an element when an extra electron is added to its neutral gaseous atom.

Electronegativity

It is the ability of an atom to attract the shared pair of electrons towards it.

Metallic character

It is the tendency of an element to form cation by the loss of electrons.

CHEMICAL REACTIONS AND EQUATION

- **Physical Change**
- The change that only affect physical properties, but the chemical compositions remains unchanged, are called **physical change**.
- These can be reversed by changing the conditions of temperature and pressure, boiling, cutting of trees, dissolving common salt in water burning of wax.
- **Chemical Change**
- The change which affect the composition as well as chemical properties of matter and result in the

formation of a new substance is called a chemical change.

- Chemical changes are generally irreversible. Some examples of chemical changes are burning of candle (gases), photosynthesis, ripening of fruits, electrolysis of water.
- A chemical reaction involves bond breaking or bond formation between any two atoms to produce new substances.

Laws of Chemical Combination - There are three laws of Chemical combination. They are:

1. Law of conservation of mass :This law was stated by Lavoisier in 1744. It states that "In all physical and chemical changes, the total mass of reactants is equal to total mass of products."

2. Law of constant proportions (or constant composition) : This law was first stated by Proust in 1797. According to the law "a chemical compound is always found to be made up of the same elements combined together in the same proportions by weight" e.g. the ratio of hydrogen and oxygen in pure water is always 1 : 8 by weight. This law is also called law of definite proportions.

3. Law of multiple proportions : This law was given by John Dalton (1803) and states that "when two elements combine to form two or more compounds, the different mass of one of the elements and the fixed mass of the one with which it combines always form a whole number ratio". This law explains the concept of formation of more than one compound by two elements.

Types of Chemical Reactions.

Exothermic and Endothermic Reactions

Reactions in which heat is released along with the formation of products, are called **exothermic reactions**. Burning of fuel is an example of exothermic reaction. Reactions in which heat is absorbed, are known as **endothermic reactions**.

Oxidation and Reduction

- Oxidation is removal of electrons.
- Reduction is the addition of electrons.
- Oxidation means
 - (a) addition of oxygen
 - (b) removal of hydrogen.
- Reductions means

(a) Removal of oxygen.

(b) Addition of hydrogen.

- The substance that causes oxidation is called the oxidizing agent.
- The substance that causes reduction is called the reducing agent.

Oxidising agent

1. Acceptors of electrons.
2. It is a substance which removes the electron from an atom.
3. It brings about oxidation.

Reducing agent

1. Donors of electrons.
2. It is a substance which adds electrons to an atom.
3. It brings about reduction.

REDOX REACTION

A reaction which involves oxidation and reduction occurring simultaneously together are called redox reaction. Photosynthesis in plants digestion of food in animals; dry and wet batteries and corrosion of metals are diverse examples of oxidation and reduction reactions.

Electrolysis

- Electrolysis is carried out in an electrolytic cell.
- A simple electrolytic cell consists of two copper strips dipping in an aqueous solution of copper sulphate.
- On applying DC voltage to the two electrodes, copper metal is deposited on cathode and copper is dissolved at anode.
- Used In the purification of impure metals.
- In the extraction of metals
- The blocks used in typing industries are prepared by electrolysis.
- Steel is coated with zinc metal during the process of galvanization.

Batteries

These convert chemical energy into electrical energy. Mainly two types of batteries are used, i.e. primary and secondary.

Primary Batteries

In the primary batteries, reaction occurs only once and after a period of time battery becomes dead.

Dry Cell or Leclanche Cell

It consists of a zinc container that acts as anode and the cathode is a carbon (graphite) rod surrounded by powdered manganese dioxide and carbon.

A moist paste of ammonium chloride (NH_4Cl) and zinc chloride (ZnCl_2) is used as an electrolyte. Dry cell is commonly used in our transistors and clocks.

Mercury Cell

It is commonly used in low current devices such as hearing aids, watches etc.

The electrolyte is a past of potassium hydroxide (KOH) and zinc oxide (ZnO).

Secondary Batteries

Lead Storage Battery

It consists of a lead as anode and a grid of lead packed with lead dioxide (PbO_2) as cathode.

A 38% solution of sulphuric acid is used as an electrolyte. On charging the battery, the reaction is reversed and lead sulphate gives lead on anode and cathode is converted into lead dioxide respectively.

Nickel Cadmium Cell

It has longer life than the lead storage cell. It consists of a cadmium as anode and nickel dioxide as cathode. The electrolyte is a potassium hydroxide (KOH) solution.

Fuel Cells

Fuel cells convert energy from the combustion of fuels such as hydrogen, carbon monoxide, methane directly into electrical energy

A fuel cell with hydrogen and oxygen has been used for electric power in Apollo Space Programme.

Corrosion

- When iron is exposed to moist air for a long period of time, its surface acquires a coating of brown flaky substance called **rust**.
- Rust is mainly hydrated iron (III) oxide ($\text{Fe}_2\text{O}_3 \cdot x\text{H}_2\text{O}$).
- In corrosion, a metal is oxidized by the loss of electrons to oxygen and form oxide.

- The rusting of iron can be prevented by painting, oiling and greasing, galvanizing (by coating iron objects with zin(c), chrome plating etc.

Catalysis

- A catalyst is a substance which alter the rate of reaction.
- The catalyst itself does not alter during the reaction.
- The phenomena in which the rate of reaction is altered by the presence of a substance (**catalyst**) is known as catalysis.
- Catalysts are specific in their action.
- A catalyst does not change the equilibrium state of a reversible reaction, only brings it quickly.
- The main function of a catalyst in a reaction is to decrease the activation energy.

Applications of Catalysts in Industrial Processes

- Haber process for ammonia—Iron is used as a catalyst and molybdenum is used as a promoter of catalyst iron.
- Contact process for Sulphuric acid—Vanadium pentoxide is used as a catalyst.
- Ostwald process for Nitric acid—Platinum gauze is used as a catalyst.
- Deacon process for Chlorine—Cupric chloride is used as a catalyst.
- Synthesis of petrol—Nickel, iron, cobalt and alumina is used as a catalyst.

Enzyme Catalysis

The increase in the rate of reaction by the enzymes is known as enzyme catalysis. They are biocatalysts, all are proteins in nature.

The rates of enzymatic reactions are very much affected by pH change.

Some important enzyme catalysis reactions are as follows

- $\text{Starch} \xrightarrow[\text{H}_2\text{O}]{\text{Diastase}} \text{Maltose}$
- $\text{Maltose} \xrightarrow[\text{H}_2\text{O}]{\text{Maltase}} \text{Glucose}$
- $\text{Glucose} \xrightarrow{\text{Zymase}} \text{Ethyl alcohol}$
- $\text{Sucrose} \xrightarrow{\text{Invertase}} \text{Glucose} + \text{Fructose}$
- $\text{Urea} \xrightarrow[\text{H}_2\text{O}]{\text{Urease}} \text{Ammonia} + \text{Carbon dioxide}$

MATTER AND ITS NATURE

- Matter can exist in three states-
- Solid
- Liquid
- Gas.
- The forces of attraction between the particles(inter-molecular forc(e) are maximum in solids, intermediate in liquids and minimum in gases. The spaces in between the constituent particles and kinetic energy of the particles are minimum in the case of solids, intermediate in liquids and maximum in gases.
- The states of matter are inter-convertible. The state of matter can be changed by changing temperature or pressure.
- The process of melting, that is, change of solid state into liquid state is also known as fusion.
- Evaporation is a surface phenomenon. Particles from the surface gain enough energy to overcome the forces of attraction present in the liquid and change into the vapour state. The rate of evaporation depends upon the surface area exposed to the atmosphere, the temperature, the humidity and the wind speed. Evaporation causes cooling.
- Burning of coal, wood or leaves is a chemical change. Explosion of a firework is a chemical change. If you leave a piece of iron in the open for some time, it acquires a film of brownish substance. This substance is called rust and the process is called rusting. The process of rusting can be represented by the following equation: Iron (F(e) + Oxygen (O₂, from the air)water (H₂O) rust (iron oxide-Fe₂O₃) For rusting, the presence of both oxygen and water (or water vapour) is essential. It is a chemical change.
- Prevent iron articles from coming in contact with oxygen, or water, or both. One simple way is to apply a coat of paint or grease. Another way is to deposit a layer of a metal like chromium or zinc on iron. This process of depositing a layer of zinc on iron is called galvanisation.
- Stainless steel is made by mixing iron with carbon and metals like chromium, nickel and manganese. It does not rust.

Solution

- A solution is a homogeneous mixture of two or more substances. The major component of a solution is called the solvent, and the minor, the solute. Lemonade, soda water etc. are all examples of solutions. We can also have solid solutions (alloys) and gaseous solutions (air).
- The solute particles cannot be separated from the mixture by the process of filtration. The solute particles do not settle down when left undisturbed, that is, a solution is stable.
- The concentration of a solution is the amount of solute present per unit volume or per unit mass of the solution/solvent. A suspension is a heterogeneous mixture.
- Colloids are heterogeneous mixtures in which the particle size is too small to be seen with the naked eye, but is big enough to scatter light.
- The particles are called the dispersed phase and the medium in which they are distributed is called the dispersion medium.

Metals & Nonmetals

- Metals are generally good conductors of heat and electricity.
- Silver is the best conductor of heat followed by copper.
- Mercury offers a very high resistance to the passage of electric current.
- Metals are generally hard but sodium and potassium are so soft that they can be easily cut with a knife.
- Metals are malleable and ductile. Gold and silver are most malleable and best ductile metals.
- Metals are solids at room temperature except mercury (melting point 39°C) which is liquid, caesium (melting point 28.4°C) and gallium (melting point 29.8°C) are liquid above 30°C .
- Metals are electropositive in nature, they ionize by the loss of electrons and form positive ions.
- Almost all the metal oxides are basic in nature but zinc oxide and aluminium oxide are amphoteric.
- Lithium, sodium, potassium, rubidium and caesium are alkali metals. Alkali metals are stored under kerosene or liquid paraffins to protect them from action of air.

- Metallic sodium is prepared by the electrolysis of molten mixture of 40% sodium chloride and 60% calcium chloride in a **Down's cell**.
- **Sodium bicarbonate** (NaHCO_3), baking soda is used in effervescent drinks and fruit salts in fire extinguishers and it is also used in the form of sesquicarbonate. It is used for wool washing.
- **Sodium carbonate** ($\text{Na}_2\text{CO}_3 \cdot 10\text{H}_2\text{O}$) washing soda is used in the manufacturing of glass, soap, washing powder and for softening hard water.
- Mixture of sodium carbonate and potassium carbonate is known as **fusion mixture**.
- **Sodium sulphate** ($\text{Na}_2\text{SO}_4 \cdot 10\text{H}_2\text{O}$) is Glauber's salt. It is used as purgative.
- **Sodium thiosulphate** ($\text{Na}_2\text{S}_2\text{O}_3 \cdot 5\text{H}_2\text{O}$) or **Hypo**. It is used in the photography as a fixing agent.
- **Potassium super oxide** (KO_2) used in space capsules, submarines and breathing masks as it produces oxygen and removes carbon dioxide and carbon monoxide.
- **Potassium cyanide** (KCN) is used in the extraction of silver, gold and as a germicide in agriculture. KCN is more poisonous than sodium cyanide.
- Potassium hydroxide (KOH) is known as caustic potash used in the preparation of soft soap. Its aqueous solution is known as **potash lye**.
- **Potassium carbonate** (K_2CO_3) is potash or pearl ash.

De-icing of Roads after snowfall

De-icing is the process of removing ice from a surface by using salts on the surface. Now-a-days, liquid CaCl_2 and MgCl_2 are also used for this purpose.

Alkaline Earth Metals and their Compounds

Beryllium, magnesium, calcium, strontium, barium and radium are collectively known as alkaline earth metals. $\text{Be}(\text{OH})_2$ is amphoteric in nature. $\text{Mg}(\text{OH})_2$ is called **milk of magnesia** and used as an **antacid**.

Calcium oxide (CaO) is also called **quick lime**. It is used in the manufacturing of glass, calcium chloride, cement, bleaching power, calcium carbide, slaked lime, in the extraction of iron and as a drying agent for ammonia and alcohol.

Calcium hydroxide, slaked lime [$\text{Ca}(\text{OH})_2$] is used in the manufacturing of caustic soda, sodalime and for softening of hard water.

Calcium sulphate, gypsum ($\text{CaSO}_4 \cdot 2\text{H}_2\text{O}$) loses a part of its water of crystallization when heated upto 120°C to form $[\text{CaSO}_4]_2 \cdot \text{H}_2\text{O}$ which is known as **plaster of Paris**.

Plaster of Paris is a white powder, which sets into hard mass on wetting with water and it is used in making statues, toys, etc., in medical applications of setting fractured bones in right positions and indentistry.

Some Important Metals and their Uses

Boron (B)

It is a semimetal (metalloids). In the nature, it occurs in combined state as borax.

Boron and boron carbide rods are used to control the nuclear reactions.

Boron carbide (B_4C) is hardest, known as an artificial substance after diamond and is known as **Norbia**.

Orthoboric acid (H_3BO_3) is used as an antiseptic and eye wash under the name boric lotion.

Aluminium (Al)

It is a third most abundant element of Earth's crust. It is extracted from bauxite ($\text{Al}_2\text{O}_3 \cdot 2\text{H}_2\text{O}$). Aluminium powder is used in fireworks, flash light powder, thermite welding.

Ammonal (a mixture of aluminium powder and ammonium nitrate) is used as an explosive.

Ruby and sapphire are essentially Al_2O_3 . Ruby is red due to the presence of Cr and sapphire is blue due to Fe and Ti. Emerald is green, it contains Ca/Cr and aluminium silicates (Al_2SiO_3).

Tin (Sn)

The important ore of tin is cassiterite (SnO_2) or tin stone. In cold countries, white tin is converted to grey tin (powder), the process is known as **tin disease** or **tin plague**. Tin plating is done to prevent the rusting of iron. Tin amalgam is used in making mirrors. Pentahydrate of stannic chloride ($\text{SnCl}_4 \cdot 5\text{H}_2\text{O}$), is called butter of tin used as mordant in dyeing.

Lead (Pb)

Lead is mainly found in the form of sulphide ore called **galena** (PbS). Red lead (minium or sindhur) is Pb_3O_4 used for making protective paint for iron and in match industry.

Zirconium (Zr)

It is used for making core of nuclear reactors and for making pumps, valves and heat exchangers.

Vanadium (V)

Vanadium pentoxide (V_2O_5) is a very good catalyst for manufacturing of sulphuric acid by contact process.

Tungsten

Tungsten filaments are used in electric bulbs. Calcium tungstate is used in X-ray tube.

Iron (Fe)

It is extracted from its haematite ore.

Cast iron It is the most impure form of iron and contains 2.5–4% carbon.

Wrought iron or **Malleable iron** is the most purest form of iron and contains minimum amount of carbon (0.12–0.5%)

Iron (II) is present in haemoglobin (blood).

Mild steel contain 0.25%–0.5% carbon while hard steels contain 0.5%–1.5% carbon. Soft steels contain carbon upto 0.25%.

Stainless steel is an alloy of iron (Fe), chromium (Cr) and nickel (Ni). Ferric chloride (FeCl_3) is used as styptic to stop bleeding from a cut. Ferrous sulphate (FeSO_4) is used in making blue black ink.

Copper, Silver and Gold (Cu, Ag and Au)

These are called coinage metals. Silver is used as amalgam for filling teeth and in silvering mirrors. Silver bromide (AgBr) is used in photography. AgNO_3 is called **lunar caustic** used in preparing marking inks and hair dyes.

$\text{CuSO}_4 \cdot 5\text{H}_2\text{O}$ is called **blue vitriol** or **nila thotha** and CuFeS_2 is called fool's gold.

Mercury (Hg)

Mercuric sulphide (HgS) is used as a cosmetic in Ayurvedic medicine as Makardhwaja.

Zinc (Zn)

It is used in galvanization to prevent rusting of iron. Zinc sulphide is used in the preparation of X-ray screens.

Zinc oxide is known as **philosopher's wool**. Zinc sulphate ($\text{ZnSO}_4 \cdot 7\text{H}_2\text{O}$) is white vitriol.

Metallurgy

The process of extraction of metals from their ores is called metallurgy.

Minerals, Ores and Gangue

The natural substance in which metals and other impurities found in combined state, are called minerals.

The minerals from which metal can be extracted conveniently and beneficially, are called ores. **Gangue or matrix** are the impurities associated with the ore.

Metal	Ores	Chemical composition
Sodium	Rock salt Chile saltpetre Borax	NaCl NaNO ₃ Na ₂ B ₄ O ₇ · 10H ₂ O
Potassium	Carnallite Sylvine	KCl · MgCl ₂ · 6H ₂ O KCl
Magnesium	Carnallite Magnesite Asbestos	KCl · MgCl ₂ · 6H ₂ O MgCO ₃ CaSiO ₃ · 3MgSiO ₃
Calcium	Lime stone Gypsum Fluorspar	CaCO ₃ CaSO ₄ · 2H ₂ O CaF ₂
Aluminium	Bauxite Cryolite Feldspar	Al ₂ O ₃ · 2H ₂ O Na ₃ AlF ₆ KAISi ₃ O ₈
Manganese	Pyrolusite Manganite Manganese blende	MnO ₂ Mn ₂ O ₃ · H ₂ O MnS
Iron	Haematite Magnetite Iron pyrites Siderite	Fe ₂ O ₃ Fe ₃ O ₄ FeS ₂ FeCO ₃
Copper	Copper glance Copper pyrites Malachite Azurite	Cu ₂ S CuFeS ₂ Cu(OH) ₂ · CuCO ₃ 2CuCO ₃ · Cu(OH) ₂
Silver	Silver glance Horn silver	Ag ₂ S AgCl
	Ruby Silver	Ag ₂ S · Sb ₂ S ₃
Gold	Calverite Sylvanite	AuTe ₂ AuAgTe ₄
Zinc	Zinc blende Calamine Zincite Franklinite	ZnS ZnCO ₃ ZnO ZnO · Fe ₂ O ₃
Mercury	Cinnabar	HgS
Tin	Cassiterite	SnO ₂

Metal	Ores	Chemical composition
Lead	Galena Cerrusite Anglesite	PbS PbCO ₃ PbSO ₄

Non-Metals

These may be solid, liquid or gas (bromine is the only liquid non-metal).

These are soft, non-lustrous, brittle, non-sonorous and non-conductor of heat and electricity. These have low melting and boiling points. These form oxides with oxygen which are generally acidic. Their examples include noble gases, i.e. helium (H(e), neon (N(e), argon (Ar), krypton (Kr), xenon (X(e) and some other p-block elements like chlorine (Cl₂), bromine (Br₂) and phosphorus (P) etc.

ALLOYS - Alloys are homogeneous mixtures of metals and cannot be separated into their components by physical methods.

Pure metals have poor mechanical properties. Hence, they are not used in their pure form in industry. Their properties are modified by adding other elements.

Characteristics of alloys:

Alloys are harder and tougher than the base metal and are resistant to corrosion.

They are inert to commonly used chemicals and are magnetisable and ductile.

Alloy is considered as a mixture because it shows the properties of its constituents and can have variable composition.

Amalgams:

Alloys of mercury with other metals like sodium, potassium, gold and zinc etc. are called amalgams. Amalgams stored in iron bottles as iron cannot form amalgam with mercury.

Brass

Composition- zinc 30%, copper 70% uses- In making of utensils, pipes and radiator statues etc.

Yellow Brass

Composition - Cu 67%, Zn 33% uses - Hardware items.

Bronze

Composition - Copper 90%, Tin 10%

uses - In making of coins, ornaments, utensils and statues.

Stainless steel

Composition - Fe 82%, (Ni + Cr) 18 %.

uses - In making of surgical instruments, watches and utensils etc.

Magnalium

Composition- Al 95% ,Mg 5%

Uses - In making light articles and physical balance etc.

Duralumin

Composition- Al 95%, Cu 4% ,Mn 0.5%

Uses -In making parts of aeroplane and ship etc.

Alnico

Composition - Al 8-12% , Ni 15-26% , Co 5-24% ,Cu 6%

Remaining: Fe, Ti

Uses - It is useful in making of magnets.

German silver

Composition - Cu 60% ,Zn 20%, Ni 20%

Uses - It is useful in electroplating and making of utensils.

Sterling Silver

Composition - silver 92.5%, copper 7.5%

Uses - jewelry, art object

Gun metal

Composition - Cu 88%, Sn 10%, Zn 2%

Uses - It is useful in making of guns, machine parts and cannons etc

Solder metal

Composition - Pb 50%, Sn 50%

Uses - It is mainly useful to join electric wires.

Bell Metal

Composition - copper - 77%, tin - 23%

Uses- casting of bells

Coin metal

Composition - copper 75%, nickel 25%

Uses - U.S coins

Wood's metal

Composition - Bi 50%, Pb 25%, Sn 12.5%, Cd 12.5%

Uses - fuse plugs, automatic sprinklers.

Monel

Composition - Ni 67%, and copper, with small amounts of iron, manganese, carbon, and silicon.

Uses - It is resistant to corrosion and acids and thus used for making valves, pumps, shafts, fittings, fasteners, and heat exchangers.

Plumber's solder

Composition - Pb 67%, Sn 33%

Uses- soldering joints.

CHEMICAL BONDING

Chemical Bonding

Constituents (atoms, molecules or ions) of different elements except noble gases, do not have complete octet so they combine with other constituent atoms by chemical bonds to achieve complete (stable) octet. The process of their combination is called chemical bonding. Chemical bonding depends upon the valency of atoms.

Types of Chemical Bond

They are divided in the following types depending upon the mode electron transferred or shared electrons or forces of attraction

- Electrovalent or ionic bond
- Covalent bond
- Coordinate or dative covalent bond
- Hydrogen bond
- Van der Waal's forces

Electrovalent Bond

The bond formed by the transfer of electrons from one atom to another is called electrovalent bond and the compound is called **electrovalent compound** or **ionic compound**. These bonds are formed between metals and non-metals.

These conduct electricity when dissolved in water and also soluble in water. These are insoluble in organic solvents like alcohol etc.

Some Electrovalent Compounds (Ionic Compounds)

Name	Formula	Ions present
Aluminium oxide (Alumina)	Al_2O_3	Al^{3+} and O^{2-}
Ammonium chloride	NH_4Cl	NH_4^+ and Cl^-
Calcium chloride	$CaCl_2$	Ca^{2+} and Cl^-

Covalent Bond

The bond is formed by the sharing of electrons between two atoms of same (or different) elements, is called covalent bond.

Covalent bond may be single, double or triple depends upon the number of sharing pairs of electrons.

Covalent compounds are usually liquids or gases having low melting point and boiling point. These do not conduct electricity and are insoluble in water but dissolve in organic solvent.

Some Covalent Compounds

Name	Formula	Element's part
Alcohol (Ethanol)	C_2H_5OH	C, H and O
Ammonia	NH_3	N and H
Acetylene (Ethyne)	C_2H_2	C and H

Coordinate or Dative Bond

The bond is formed by one sided sharing of one pair of electrons between two atoms. The necessary condition for the formation of coordinate bond is that octet of one atom should be complete, having at least one lone pair of electrons and other atom should have a deficiency of at least one pair of electrons.

The atom having complete octet which provides the electron pair for sharing, is known as **donor**. The other atom which accept the electron pair, is called the **acceptor**.

Bonding between A and B is predominantly

- Ionic if there is large difference in electronegativity.
- Covalent if both A and B have approximately same value of electronegativity.
- Coordinate if lone pair on A (or B) is donated to electron deficient B (or A).

Compounds Containing Ionic and Covalent Bonds

Name	Formula
Potassium cyanide	KCN
Sodium hydroxide	NaOH
Calcium carbonate	$CaCO_3$

Compounds Containing Covalent and Coordinate Bonds

Name	Formula
Carbon monoxide	CO
Ozone	O ₃
Dinitrogen oxide	N ₂ O
Dinitrogen trioxide	N ₂ O ₃
Nitric acid	HNO ₃

Compounds Containing Electrovalent, Covalent and Coordinate Bonds

Name	Formula
Ammonium chloride	NH ₄ Cl
Ammonium bromide	NH ₄ Br

Hydrogen Bond

The electrostatic force of attraction between hydrogen atom (which is covalently bonded to a highly electronegative atom) and any other electronegative atom which is present in the same or different molecules, is known as hydrogen bond.

It is maximum in the solid state and minimum in the gaseous state.

Intermolecular H-bonding (e.g. HF, water (H₂O) molecule) It occurs between different molecules of a compound and results in increasing solubility in water and high boiling point.

Intramolecular H-bonding (e.g. o-nitrophenol) It occurs within different parts of a same molecule and results in decreasing solubility in water and low boiling point.

Van der Waals' Forces

The ability of geckos (lizard) which can hang on a glass surface using only one toe to climb on sheer surfaces had been attributed to the Van der Waals' forces between these surfaces and their foot-pads.

ATMOSPHERIC POLLUTION
Atmospheric pollution

The substance which causes pollution is known as pollutant.

Pollutants are of two types

– **Primary pollutants** persist in the environment in the form, they are produced, e.g. sulphur dioxide (SO₂), nitrogen dioxide (NO₂) etc.

– **Secondary pollutants** are the products of reaction of primary pollutants, e.g. peroxyacetyl nitrate (PAN), ozone (O₃), aldehyde etc.

Major Gaseous Air Pollutants

Major gaseous air pollutants are oxides of sulphur, nitrogen, carbon and hydrocarbons.

Sulphur dioxide (SO₂)

It is highly toxic for both animals and plants, bronchitis, asthma, emphysema. It also causes eye and throat irritation and breathlessness.

Sulphur dioxide reduces the rate of formation of chloroplast and thus, causes chlorosis. SO₂ is highly corrosive and damage buildings, marbles (Taj Mahal) and textiles.

SO₂ is oxidized to SO₃ which reacts with water to give H₂SO₄. H₂SO₄ remains suspended in the air as droplets or come down in the form of acid rain.

Oxides of nitrogen

Among the oxides of nitrogen, nitric oxide (NO), a colourless, odourless gas and nitrogen dioxide (NO₂), a brown gas with pungent odour act as tropospheric pollutants.

NO₂ is highly toxic for living tissues causes leaf fall. It is a corrosive oxide and helps in the formation of smog.

In the presence of oxygen, NO₂ reacts with water or moisture and produces nitric acid (HNO₃) which is an important factor for making acid rain.

Carbon monoxide (CO)

From more stable carboxyhaemoglobin complex with haemoglobin due to which the delivery of oxygen to the organs and tissues is blocked.

Hydrocarbons

Out of the hydrocarbons, methane (CH₄) is the most abundant hydrocarbon pollutant. Higher concentrations of hydrocarbons given carcinogenic effect, i.e. are cancer producing. They cause ageing of plants, breakdown of plant tissues and shedding of leaves.

Consequences of Atmospheric Pollution

Green house gases such as carbon dioxide, methane and water vapours trap the heat radiated from Earth. This leads to an increase in Earth's temperature. This heating

up of Earth and its objects due to the trapping of infrared radiation by green house gases in the atmosphere, is called **green house effect**.

Green house effect is very essential for the existence of life because in its absence, Earth would be converted into extremely cold planet. When concentration of green house gases increases, green house effect also increases. This is known as **global warming**.

Acid rain

It is caused by the presence of oxides of nitrogen and sulphur in the air. These oxides dissolve in rain water and from nitric acid and sulphuric acid respectively. The rain carrying acids, is called acid rain.

Particulates

Diseases caused by particulate

Diseases	Cause
Pneumoconiosis	Due to inhalation of coal dust
Silicosis	Due to inhalation of free silica (SiO ₂)
Black lung disease	Found in workers of coal mines
White lung disease	Found in textile workers
Byssinosis	Due to inhalation of cotton fibre dust

Smog

It is two types:

Classical smog

These occur in cool, humid climate. Sulphur dioxide (SO₂) and particulate matter from fuel combustion are the main components of classical smog.

Photochemical smog

These occur in warm, dry and sunny climate. It consists of a mixture of primary pollutants (nitrogen oxides and carbon monoxides) and secondary pollutants (ozone, formaldehyd(e)).

Peroxyacetyl nitrate (PAN) and aldehydes present in smog causes irritation in eyes. PAN has the highest toxicity to plants. It attacks younger leaves and causes bronzing and glazing of their surfaces.

Stratospheric Pollution - In stratosphere, ozone layer absorbs the ultraviolet radiation of the Sun which are harmful to living organisms.

Depletion of ozone layer causes skin cancer and cataract in human and reduction of planktons in ocean and depletion of plants. Depletion of ozone layer is caused by **chlorofluoro carbons** which are used in refrigeration, fire extinguishers and aerosol sprayers.

In stratosphere, the depletion of ozone layer leading to ozone hole has been mainly observed in the stratosphere of Antarctica. The formation of this hole occur due to the accumulation of special clouds in the region called **Polar Stratospheric Clouds (PSCs)** and inflow of chlorofluoro carbons (CFCs).

Water pollution

In some part of India, drinking water is contaminated by the impurities of arsenic, fluoride, uranium, etc.

In water, some dissolved Oxygen (DO) is also present. For a healthy aquatic life, the optimum value of DO is 5-6 ppm. If DO is below 5 ppm, the growth of fishes is inhibited.

Biochemical Oxygen Demand (BO(D) is the total amount of oxygen (in mg) required by microbes to decompose the organic matter present in 1L of water sample while **Chemical Oxygen Demand (CO(D)** refers to the total amount of oxygen (in ppm) consumed by the pollutants in a water sample.

$$BOD = \frac{\text{Amount of oxygen required (in mg)}}{\text{Volume of water sample (in L)}}$$

For clean water, BOD is less than 5 ppm while for highly polluted water, it is 17 ppm or more.

PROPERTIES OF GASES

1. Properties of Gases

- Gas has no definite volume or shape.
- The other outstanding characteristic of gases is their low densities, compared with those of liquids and solids.
- All gases expand equally due to equal temperature difference.
- **Diffusion of gases:** The phenomenon in which a substance mixes with another because of molecular motion, even against gravity- is called diffusion.

- **The pressure of a gas:** The molecules of a gas, being in continuous motion, frequently strike the inner walls of their container
- **Temperature and Temperature Scales:** Temperature is defined as the measure of average heat. Temperature is independent of the number of particles or size and shape of the object.
- **Compressibility:** Particles of a gas have large intermolecular spaces among them. By the application of pressure much of this space can be reduced and the particles be brought closer. Hence, the volume of a gas can be greatly reduced. This is called compressing the gas.
- **Gas Laws -** All gases, irrespective of their chemical composition, obey certain laws that govern the relationship between the volume, temperature and pressure of the gases. A given mass of a gas, under definite conditions of temperature and pressure, occupies a definite volume.
- When any of the three variables is altered, then the other variables get altered. Thus these Gas laws establish relationships between the three variables of volume, pressure and temperature of a gas.
- **Boyle's Law:** "The product of the volume and pressure of a given mass of dry gas is constant, at constant temperature".
- **Charles Law:** "At constant pressure, the volume of a given mass of gas increases or decreases by $1/273$ of its original volume at 32°F , for each degree centigrade rise or lowering in temperature."
- **Pressure Law:** Volume remaining constant, the pressure of a given mass of gas increases or decreases by a constant fraction ($=1/273$) of its pressure at 0°C for each degree Celsius rise or fall of temperature.
- **Avogadro's Law:** This is quite intuitive: the volume of a gas confined by a fixed pressure varies directly with the quantity of gas. Equal volumes of gases, measured at the same temperature and pressure, contain equal numbers of molecules. Avogadro's law thus predicts a directly proportional relation between the number of moles of a gas and its volume.
- **Gay-Lussac's Law:** When different gases react with each other chemically to produce gaseous substances, then under the same condition of temperature and pressure, the volume of the reacting

gases and product gases bear a simple ratio among one another.

- **Avogadro Number:** From Avogadro's hypothesis, we know equal volume of all gases contain equal number of molecules at normal temperature and pressure.
- The number is known as Avogadro Number and is equal to 6.06×10^{23} .
- **The ideal gas equation of state:** If the variables P, V, T and n (the number of moles) have known values, then a gas is said to be in a definite state, meaning that all other physical properties of the gas are also defined. The relation between these state variables is known as an equation of state.
- An ideal gas is an imaginary gas that follows the gas laws and has 0 volume at 0 K i.e., the ideal gas does not exist.

ORGANIC CHEMISTRY

Organic chemistry is defined as the study of hydrocarbons and their derivatives. Most atoms are only capable of forming small molecules. However one or two can form larger molecules.

Urea was the first organic compound prepared in laboratory. It was prepared by Wohler (1828) from inorganic compound i.e. ammonium cyanate.

Acetic acid was the first organic compound synthesized from the elements by Kolbe.

Functional group is responsible for the chemical properties of the molecules ex. OH is alcoholic group

Isomers Compounds having the same molecular formula but different structures, e.g. $\text{C}_2\text{H}_6\text{O}$ can have the structure, i.e. CH_3OCH_3 (dimethyl ether) and $\text{C}_2\text{H}_5\text{OH}$ (ethanol).

Hydrocarbons

These are the compounds of only carbon and hydrogen.

Saturated hydrocarbons They contain only single bonds. These are also called **alkanes** or **paraffins** and have general formula $\text{C}_n\text{H}_{2n+2}$. Methane is the first member of this group.

Unsaturated hydrocarbons They have general formula C_nH_{2n} for alkene and $\text{C}_n\text{H}_{2n-2}$ for alkynes. These have at least one double (=) or triple (\equiv) bond and are called **alkenes** and **alkynes** respectively.

Aromatic hydrocarbons They have ring structure with alternate double bonds and $(4n + 2) \pi e^-$ (Huckel's rule) e.g. benzene.

Important Hydrocarbons and their Uses

Methane (CH₄) It is also known as marsh gas or damp fire. Natural gas contains mainly 90% methane along with ethane, propane, butane etc. Rice agriculture is a big source of atmospheric methane.

- It is the cause of occurrence of the explosions in mines.
- It is used as a fuel gas in making carbon black.

Biogas

Produced during decay of biomass in the absence of oxygen. Methane (75%) is the main constituent of biogas).

Ethane (C₂H₆)

Natural gas contains approx. 10% ethane. Its hexachloro derivative C₂Cl₆ is used as an artificial camphor.

Butane (C₄H₁₀)

It is the main constituent of LPG (liquefied petroleum gas).

Ethylene (CH₂ = CH₂)

In World war I (1914-18), it was used for the manufacturing of mustard gas (poisonous gas). It is used as an anesthetic for the preservation and artificial ripening of green fruits.

Acetylene (CH ≡ CH)

Benzene (C₆H₆)

It is the simplest aromatic hydrocarbon. It was discovered by Faraday in 1825. It is also used as a motor fuel under the name benzol.

Toluene (C₆H₅CH₃)

It is used as a commercial solvent in the manufacturing of explosive (TNT), drugs (chloramines-T) and dyestuffs. Used in the manufacturing of saccharin and printing inks. toluene is used as antifreeze.

Naphthalene (C₁₀H₈)

It is used for preventing moths in clothes, as an insecticide.

Halogen Derivatives of Hydrocarbons

- **Chloroform (CHCl₃)**

- It was discovered by **Sir James Young Simpson**.
- It is stored in closed dark coloured bottles completely filled because it is oxidized by air in the presence of sunlight to an extremely poisonous gas phosgene (COCl₂).
- It reacts with conc. HNO₃ and form chloropicrin (Cl₃C – NO₂). Chloropicrin is an insecticide and also used as poisonous gas at the time of war.
- The major use of chloroform today is in the production of the Freon refrigerant, R-22.

- **Iodoform (CHI₃)**

It is used as an antiseptic due to liberation of free iodine.

Carbon tetrachloride (CCl₄)

used as a fire extinguishers under the name pyrene.

Dichloro diphenyl trichloro ethane (DDT)

It was the first chlorinated organic insecticides and originally prepared in 1873.

Alcohols

Methyl alcohol (CH₃OH)

- It is also known as wood spirit or wood naphtha.
- Methyl alcohol is poisonous in nature and when taken internally it can cause blindness and even death.
- It is used for denaturing alcohol (methylated spirit is denatured ethyl alcohol).

Ethyl alcohol (C₂H₅OH)

It is simply known as alcohol, spirit of wine or grain alcohol.

Glycerol (CH₂OH. CHOH. CH₂OH)

- It is an important trihydric alcohol known as glycerine.
- It is sweet in taste and very hygroscopic in nature. It is used in the manufacturing of cosmetics and transparent soaps.

Phenol (C₆H₅OH)

It is a monohydric benzene derivative. It is commonly known as carbolic acid or benzenol.

Methyl isocyanate (CH₃NCO)

Leakage of this gas is responsible for Bhopal gas tragedy.

Coal

- It is believed that it was formed by (carbonization). Different varieties of coal are anthracite (90% carbon), bituminous (70% carbon), lignite (40% carbon) and peat (10-15% carbon).
- On heating at 1270-1675 K in the absence of air, coal decomposes and gives the following products.
- **Coke** is the solid residue left after the distillation.
- **Coal tar** It is a mixture of about 700 substances.
- Now-a-days bitumen, a petroleum product, is used in place of coal tar for metalling the roads.
- The most significant characteristics of Indian coal are its high ash content, entrained gasifires and low sulphur content.
- The process of separation of various constituents/ fractions of petroleum is known as **refining**.
- **Knocking** - In a petrol engine, vapours of petrol and air are first compressed to a small volume and then ignited by a spark. If the quality of petrol is not good, it leads to the pre-ignition of fuel in the cylinder. This gives rise to a metallic sound known as knocking. Tetraethyl lead (TEL) and Benzene - Toluene - Xylene (BTX) are common antiknock compounds.
- **Octane number** - The antiknocking property of petrol is measured in terms of octane number. Higher the octane number, better is the quality of fuel. Gasoline used in automobiles has an octane number 80 or higher while in aeroplane, it has an octane number 100 or over higher.

Fuels:

- **Producer gas** is a mixture of carbon monoxide and nitrogen. Water gas in mixture of carbon monoxide and hydrogen.
- **Coal gas** is a mixture of hydrogen, methane, carbon monoxide, ethane, acetylene, carbon dioxide, nitrogen and oxygen.
- **Oil gas** and petrol gas is a mixture of methane, ethylene and acetylene etc., and is obtained by cracking of kerosene.

- **LPG** (Liquefied Petroleum Gas) the mixtures of hydrocarbons such as propane, propene, n-butane, isobutene and various butane with small amount of ethane. The major sources of LPG are natural gas.
- **CNG** (Compressed Natural Gas) It is highly compressed form of natural gas, octane rating of CNG is 130.
- **Gasohol** It is a mixture of ethyl alcohol (10%) and petrol (90%).

Flame:

It is the hot part of fire and has three parts.

- **Innermost region of flame** It is black because of the presence of unburned carbon particles.
- **Middle region** It is yellow luminous due to partial combustion of fuel.
- **Outermost region** It is blue (non-luminous) due to complete combustion of fuel. It is the hottest part of flame and is used by the Goldsmith to heat the gold.

Rocket Fuel:

- The fuel used in rockets is called rocket propellant.
- **Liquid propellants** are alcohol, liquid hydrogen, liquid ammonia (NH_3), kerosene oil etc.
- **Solid propellants** are polybutadiene and acrylic acid used along with oxidizers such as aluminium per chlorate, nitrate or chlorate.



BIOLOGY for DFCCIL 2021 Exam

Biology- Branch of science in which living beings are studied. Biology has two main branch :

- (a) Botany - study of different aspects of plants. Theophrastus is known as father of Botany.
- (b) Zoology - study of various aspects of animals. Aristotle is called Father of Biology as well as Zoology.

Important Terms of biology :

- Anatomy- Study of internal structure of organism.
- Agrolology - Soil science dealing specially with production of crop.
- Agronomy- Science of soil management and production of crop.
- Agrostology - Study of grass.
- Arthrology- Study of joints.
- Apiculture- rearing of honey bee for honey.
- Anthropology- Study of origin, development and relationship between the culture of past and present human.
- Anthology - Study of flower and flowering plant.
- Angiology- Study of blood vascular system including arteries and veins.
- Andrology- Study of male reproductive organ.
- Bryology- Study of bryophytes.
- Biometrics - Statical study of biological problem.
- Biomedical engineering- Production and designing of spare part for man for overcoming various defects in man .e.g. artificial limbs, Iron lung, Pacemaker etc.
- Biotechnology- Technology connected with living being for wilful manipulation on molecular level.
- Bacteriology- Study of bacteria.
- Cytology- Study of cell.
- Cryobiology - It is the study of effect of low temperature on organisms and their preservation.
- Clone - Celones are genetically identical individuals in a population.
- Cardiology - Study of heart.
- Clone - Clones are genetically identical individuals in a population.
- Demography- Study of population.

- Diffusion- Random movement of molecule / ion or gases from a region of higher concentration to lower concentration.
- Diffusion- Random movement of molecule / gas / ion from reign of higher concentration to lower concentration.
- Dermatology - Study of skin.
- Dendrochronology- Counting and analyzing annual growth rings of tree to know its age.
- Ecology - Study of inter- relationship between living and their environment.
- Evolution- Study of origin of life, variation and formation of new species.
- Embryology- It is the study of fertilization and development if zygote.
- Eugenics - Study of factors connected with the improvement of race.
- Euthenics - Treatment of defective in heredity through genetics engineering.
- Ethnology - Study of science dealing with different races of human.
- Ethology - Study of animal behavior.
- Etiology - Study of life cycle of pathogen.
- Entomology- Study of insects.
- Exobiology- Study of possibility of life in space.
- Floriculture- Cultivation of plant for their flower.
- Food technology-Scientific processing, preservation, Storage and transportation of food.
- Forensic science - Application of science for identification of various facts civilian.
- Fishery- catching, breeding, rearing and marketing of fishes.
- Forestry- Development and management of forest.
- Fermentation- process of incomplete oxidation that occur in microbes and other cells in absence of oxygen, leading to the for nation of ethyl alcohol.
- Genetics- Study of variation and transmission of characters from parents to their young ones.
- Growth - Permanent increase in the weight and volume or size of an organism.
- Gynecology- Study of female reproductive organ.
- Gerontology- Study of ageing.

- Gastroenterology- Study of alimentary canal or stomach, intestine and their disease.
- Hypertonic- when two solution have different solute concentration. The solution at which has higher concentration is called hypertonic.
- Hypotonic- in two solution which have lower solute concentration is called hypotonic.
- Homeothermic- Animals who have a constant body temperature are called homeothermic warm-blooded animal.
- Histology- Study of tissue with the help of microscope.
- Hydroponics- Study of growing plant without soil in water which contains nutrient.
- Haematology- Study of blood
- Hepatology- Study of liver.
- Ichthyology- Study of fishes.
- Immunology- Study of immunity or resistance of body to disease.
- Metazoans- All multicellular animals are called metazoans.
- Monoecious- Plant which has both male and female flowers.
- Morphology - Study of external structure.
- Microbiology- Study of Micro- Organism like virus, bacteria, algae, fungi, and protozoa.
- Molecular biology- Study of molecules found in the body of living organisms.
- Medicine- Study of treating disease by drug.
- Mammography - Branch of science which deals with the test of breast cancer.
- Mycology - Study of fungi.
- Neurology - Study of nervous system.
- Neonatology- Study of newborn.
- Nephrology- Study of kidneys.
- Osmosis- movement of water molecules across a semipermeable membrane from the region of higher concentration to the region of lower concentration.
- Odontology- Study of teeth and gums.
- Osteology- Study of bones.
- Oncology- Study of cancer and tumours.
- Obstetrics- Science connected with the care of pregnant women before, during, and after childbirth.
- Ornithology- Study of birds.

- Ophthalmology- Study of eyes.
- Orthopaedics- Diagnosis and repair of disorders of the locomotory system.
- Phytoplanktons- Microscopic organisms which passively float on the surface of water.
- Parasite- organism which depends on other living organisms for their food and shelter.
- Poikilothermic- Organism which changes their body temperature according to surroundings. These are also called cold-blooded animals.



CELL

Cell: It is the basic structural unit of life.

Cells were first discovered by **Robert Hooke**.

The smallest cell is 0.1 to 0.5 micrometre in bacteria. The largest cell measuring 170 mm × 130 mm, is the egg of an ostrich.

Amoeba acquires its food through **endocytosis**.

1. **Prokaryotes cells** - cells that have no defined nucleus

Eg: Bacteria & Blue-green Algae

2. **Eukaryote** - cells which have definite nucleus

Eg: Other than Bacteria & Blue-green Algae

Compounds called **proteins** and **phospholipids** make up most of the cell membrane.

Diffusion- It is a process of movement of substance from a region of high concentration to a region where its concentration is low. Water also obeys the law of diffusion.

Eg: Substances like CO_2 and O_2 can move across the cell membranes by a process called diffusion.

Osmosis: The movement of water molecules is called **osmosis**. Osmosis is a special case of diffusion through a selectively permeable membrane.

Types of Osmosis:

1. **Hypotonic:** More water will come into the cell than will leave. The cell is likely to swell up.
2. **Isotonic:** The amount going in is the same as the amount going out of the cell. The cell will stay the same size.
3. **Hypertonic:** More water leaves the cell than enters it. Therefore the cell will shrink.

When a living plant cell loses water through osmosis there is shrinkage or contraction of the contents of the cell away from the cell wall. This phenomenon is known as **plasmolysis**.

Cytoplasm: It is the fluid that fills a cell. Scientists used to call the fluid protoplasm.

Ribosomes: It synthesis protein, and Endoplasmic reticulum sent these protein in various part of the cell. Whereas Smooth Endoplasmic reticulum helps in the manufacture of fats. It a made up of ribonucleic acid.

Functions of these proteins and fats:

- Protein and fat (lipi(d) help in building the cell membranes. This process is known as **membranes biogenesis**.
- Smooth Endoplasmic reticulum plays a crucial role in detoxifying many poisons and drugs.

Golgi apparatus : It is another packaging organelle like the endoplasmic reticulum

Functions:

- It is the organelle that builds lysosomes (cells digestion machines).

Lysosomes(suicidal bag): It is a kind of waste disposal system of the cell.

Mitochondria(power hous(e): The energy required for various chemical activities headed for life is released by mitochondria in the form of ATP (adenosine triphosphat(e) molecules.

- **ATP is known as the energy currency of the cell.**
- Mitochondria are strange organelles in the sense that they have their own DNA and ribosomes, therefore mitochondria are able to make their own protein.

- Mitochondria is absent in bacteria and the red blood cells of mammals and higher animals.

Centrioles: centrioles are concerned with cell division. It initiates cell division.

Plastids: These are present only in plant cells.

Types of plastids:-

- **Chromoplast**(colour plastides) impart colour to flowers and fruits.
- **Leucoplasts**(white or colourless plastids) present in which starch, oils and protein are stored.
- **Plastids** are self-replicating. i.e. they have the power to divide, as they contain DNA, RNA and ribosomes.
- Plastides contains the pigment chlorophyll that is known as **chloroplast**. It is the site for photo synthesis.

non -living parts with in the cell :-

Vacuoles: it is a fluid filled spaces enclosed by membranes. Its size in animal is small and in plant it is big.

Amino acids and sugars are stored in vacuoles.

Granules: It is not bounded by any membranes. It store fats, proteins and carbohydrates.

Cell nucleus: The cell nucleus acts like the brain of the cell. It helps control eating, movement and reproduction. Not all cells have a nucleus.

The nucleus contain, the following components :

- (a) **Nuclear envelope (nuclear membran(e)**
- (b) **Chromatin :** When the cell is in resting state there is something called **chromatin** in the nucleus. Chromatin is made up of DNA, RNA and nucleus protein. DNA and RNA are the nucleus acids inside the cell. When the cell is going to divide, the chromatin become very compact. It condenses when the chromatin comes together we can see the chromosomes.
- (c) **Chromosomes:** Chromosomes make organisms what they are. They carry all the information used to help a cell grow, thrive and reproduce.
 - Chromosomes are made up of DNA.
 - Segments of DNA in specific patterns are called **genes**.
 - In prokaryotes, DNA floats in the cytoplasm in an area called the **nucleoid**.

- Chromosomes are not always visible. They usually sit around uncoiled and as loose shards called **chromation**.
 - Chromosomes are usually found in pairs.
 - Human Beings probably have 46 chromosomes (23 pairs).
 - Peas only have 12, a dog has 78 chromosomes.
 - The number of chromosomes is not related to the intelligence or complexity of the creature.
- (d) Nucleolus:** It is a dense spherical granule contained within the nucleus. It stores proteins.

Cell Division

Organisms grow and reduce through **cell division**.

There are two methods of replication **mitosis** and **meiosis**.

(a) Mitosis: It duplicates its DNA and the two new cells (daughter cells) have the same pieces and generic code. There are five steps in this process. **You should remember the term PMATI.** It breaks down to :

1. Prophase
2. Metaphase
3. Anaphase
4. Telophase
5. Interphase.

The main theme of **meiosis** is that there are two cell division. Mitosis has one division.

Some important facts regarding cells :

- Nerve cells in animals are the longest cells.
- Smallest human cell is red blood cell.
- Largest human cell is female ovum.
- The single largest cell in the world is of an ostrich.
- The smallest cells are those of the mycoplasma.
- Every minute about 3 million cells in our body die.
- Sieve tube in plants and the mature mammalian red blood cells do not have a nucleus.
- The red blood cell carries respiratory gases.
- Sieve cells in plants transport nutrients in plants.
- The lysosomal enzymes of the sperm cells digest the limiting membranes of the ovum (egg). Thus the sperm is able to enter the ovum.
- During the transformation of tadpole into frog. The embryonic tissues like gills and tail are digested by the lysosome.

- Mitochondria contain DNA, hence capable of replication.
- Matrix is a transparent, homogenous semi-fluid substance. In its active state. It remains saturated with water.

TISSUE

Epithetical Tissue

- (i) On the basis of cell layers
- (a) When an epithelium has a single layer of cells it is called a simple epithelium.
- (b) Where as a multiple tier of cells are known as stratified epithelium.
- (ii) On the basis of simple shape of cells:
- **Cuboidal** : its occurrence is in kidney tubules, salivary glands, inner lining of the cheek. Its main function is to give mechanical strength.
 - **Columnar** : its occurrence is in sweat gland, tear gland, salivary gland its main function is to gives mechanical strength concerned with secretions.
 - **Squamous** : when it forms a living as that of blood vessels, it is called endothelium. Its main function is to protect the underlying parts from injury, entry of germs, etc.
 - **Connective tissue** : Its main function is to bind and support other tissues.

There are a few types of connective tissue.

Connective Tissue

Areolar

- (i) Tendon
(ii) Ligament

Adipose Skeletal

- (i) Bone
(ii) Cartilage

Fluid

- (i) Blood
(ii) Lymph

A. Areolar tissue : It fills spaces inside organs found around muscles, blood vessels and nerves. Its main function is to joins skin to muscles, support internal organs, help in the repair of tissues. Whereas tendon's main function is to connect muscles to bones and ligament is connects bones to each other.

B. Adipose tissue : Its occurrence is below skin, between internal organs and in the yellow bone Marrow. Its main function is to storage of fat and to conserve heat.

C. Skeletal tissue : Bone & cartilage occurrences is in nose, epigotis and in intervertebral disc of mammals. Its main function is to provide support and flexibility to body part. Whereas bone protects internal delicate organs provides attachments for muscles, bone marrow makes blood cells.

D. Fluid tissue : Blood & Lymph blood transport O₂ nutrients, hormones to tissues and organs. Whereas leucocytes fight diseases and platelets help in clotting of blood. Lymph transport nutrients into the heart and it also forms the defense system of the body.

Muscular Tissue

It is specialized for ability to contract muscle cells.

Types of Muscular tissue:

A. Skeletal muscle: It attached primarily to bones. Its main function is to provide the force for locomotion and all other voluntary movements of the body.

B. Cardiac muscle: It occurs only in the heart. The contraction and relaxation of the heart muscles help to pump the blood and distribute it to the various parts of the body.

C. Smooth muscle: It can be found in stomach, intestines, and blood vessels these muscles cause slow and prolonged contractions which are involuntary.

D. Nervous tissue: This tissue is specialized with a capability to conduct electrical impulses and convey information from one area of the body to another. Most of the nervous tissue (98%) is located in the central nervous system. The brain and spinal cord.

Types of Nervous Tissue

- Neurons
- Neuroglial
-

Important facts regarding animal tissue:-

- Muscles contain special protein called contractile protein.

- Fat storing adipose tissue is found below the skin and between internal organs.
- Two bones are connected to each other by a tissue called ligament. This tissue is very elastic.
- The skin, the living of the mouth, the living blood vessels, kidney tubules are all made up of epithelial tissue.
- Voluntary muscles and cardiac muscles are richly supplied with blood whereas involuntary muscles are poorly supplied with blood.

MUSCULAR AND SKELETAL SYSTEM

Skeletal Systems of Various Animals

Skeletons are either a fluid-filled body cavity, exoskeletons, or internal skeletons.

Note: Spiders use a combination of an exoskeleton for protection and fluid pressure for movement.

- Sharks, and rays have skeletons composed entirely of cartilage; other vertebrates have an embryonic cartilage skeleton progressively replaced by bone as they mature and develop.
- Some areas of the human body, however, retain cartilage in the adult: in joints and flexible structures such as the ribs, trachea, nose and ears.
- The upper bones of the limbs are single: humerus (arm) and femur (leg).
- Below a joint (elbow or kne(e), both limbs have a pair of bones (radius and ulna in the arms; tibia and fibula in legs) that connect to another joint (wrist or ankl(e).
- The carpals makeup the wrist joint; the tarsals are in the ankle joint.



Bone

- Bones have cells embedded in a mineralized (calcium) matrix and collagen fibers.
- The spongy bone of the femur, humerus, and sternum contains red marrow, in which stem cells reproduce and form the cellular components of the blood and immune system. Yellow marrow, at the center of these bones, is used to store fats. The outer layer of the bones is known as the periosteum.
- When fractures occur, the pain is carried to the brain by nerves running through the periosteum.

Joints

- A joint is a location at which two bones make contact and is essential for all types of movements, involving the bony parts of the body.
- Synovial Joints - Movable Joints : They are characterised by the presence of a closed space or cavity between the bones.
- This kind of joint are classified into six major categories.
- Plane (gliding joint) : Present between carpals. Only sliding motion in all direction is allowed.
- Hinge joint : Present between Knee joint
- Pivot joint : Present between atlas and axis
- Saddle joint : Present between carpal and metacarpal
- Ball and Socket joint : Present between humerus and pectoral girdle.

Disorders of Muscular and Skeletal System

- Myasthenia gravis - Autoimmune disorder. It affects neuromuscular transmission.
- Muscular dystrophy - Progressive skeletal muscle weakness, defects in muscle proteins, the death of muscle cells and tissue.
- Rheumatoid Arthritis : Inflammation of synovial membrane.
- Osteoarthritis : Degeneration of articular cartilage.
- Gout : Caused by excess formation of uric acid and their deposition in the joints.
- Osteoporosis : Low bone mass, increased fragility and proneness to fracture.

THE NERVOUS SYSTEM

- The Central Nervous System (CNS) includes the brain and spinal cord.
- The Peripheral Nervous System (PNS) connects the CNS to other parts of the body, and is composed of nerves(bundles of neurons)

The Neuron

Nervous tissue is composed of two main cell types: neurons and glial cells. Neurons transmit nerve messages. Glial cells are in direct contact with neurons and often surround them.

The neuron is the functional unit of the nervous system. Humans have about 100 billion neurons in their brain alone!

Functions of the three parts of a neuron:

- **Axon:** It conducts messages away from the cell body.
- **Dendrite:** It receives information from axon of another cell and conducts the messages towards the cell body.
- **Cell body:** It contains nucleus, mitochondria, and other organelles. It is mainly concerned with the maintenance and growth.

SYNAPSES

The junction between a nerve cell and another cell is called a synapse.

The space between two cells is known as the synaptic cleft.

- The function between two neurons is called a 'ganglion'.

HUMAN EYE

The human eye is like a camera. Its lens system forms an image on a light-sensitive screen called the retina.

The eyeball is approximately spherical in shape with a diameter of about 2.3 cm.

The eye lens forms an inverted real image of the object on the retina.

RETINA - The retina is a delicate membrane having enormous number of light-sensitive cells.

CORNEA - Light enters the eye through a thin membrane called the cornea.It is the eye's outermost layer. It is the clear, dome-shaped surface that covers the front of the eye. It plays an important role in focusing your vision.

PUPIL - The pupil is a hole located in the centre of the iris of the eye that allows light to strike the retina. It appears black because light rays entering the pupil are either absorbed by the tissues inside the eye directly, or absorbed after diffuse reflections within the eye. The pupil regulates and controls the amount of light entering the eye.

IRIS - It is a dark muscular diaphragm that controls the size of the pupil and thus the amount of light reaching the retina.

CILIARY MUSCLE - The ciliary muscle is a ring of smooth muscle in the eye's middle layer that controls accommodation for viewing objects at varying distances and regulates the flow of aqueous humour into Schlemm's canal. It changes the shape of the lens within the eye, not the size of the pupil.

The light-sensitive cells get activated upon illumination and generate electrical signals. These signals are sent to the brain via the optic nerves. The brain interprets these signals, and finally, processes the information so that we perceive objects as they are.

Note: When the light is very bright, the iris contracts the pupil to allow less light to enter the eye. However, in dim light the iris expands the pupil to allow more light to enter the eye. Thus, the pupil opens completely through the relaxation of the iris.

A human being has a horizontal field of view of about 150° with one eye and of about 180° with two eyes.

HUMAN BRAIN

The brain is the most complex part of the human body. This three-pound organ is the seat of intelligence, interpreter of the senses, initiator of body movement, and controller of behavior.

The brain can be divided into three basic units:

- The forebrain,
- The midbrain, and
- The hindbrain

The **forebrain** is the largest and main thinking part of the brain. It has regions which receive sensory impulses from various receptors. Separate areas of the fore-brain are specialised for hearing, smell, sight and so on.

The **Midbrain** connects the forebrain to the hindbrain.

The **hindbrain** controls the body's vital functions such as respiration and heart rate.

►► **CEREBRUM** - Largest part of the human brain

- It is at the topmost part of the brain.
- It is the source of intellectual activities.
- It holds your memories, allows you to plan, enables you to imagine and think.
- It allows you to recognize friends, read books, and play games.
- It controls the voluntary motor actions.
- It is the seat of learning and memory.
- It is the site of sensory perceptions; like tactile and auditory perceptions.
- It is divided into two hemispheres; called cerebral hemispheres.

►► **HYPOTHALAMUS**

- It lies at the base of the cerebrum.
- It controls sleep and wake cycle (circadian rhythm) of the body.
- It also controls the urges for eating and drinking.
- It gets the adrenaline flowing during a test or job interview.

►► **CEREBELLUM**

- It lies below the cerebrum and at the back of the whole structure.
- It coordinates the motor functions.
- It is responsible for precision of voluntary actions and maintaining the posture and balance of the body.
- Example: When you are riding your bicycle; the perfect coordination between your pedaling and steering control is achieved by the cerebellum.

►► **MEDULLA**

- It forms the brain stem; along with the pons.
- It lies at the base of the brain and continues into the spinal cord.
- It controls various involuntary functions
- Example: heartbeat, respiration, size of the pupil, blood pressure, salivation and vomiting etc.

►► **THALAMUS**

- A major clearinghouse for information going to and from the spinal cord and the cerebrum.
- Cerebrospinal fluid (CSF) is a watery fluid that circulates through the brain's ventricles (cavities or hollow spaces) and around the surface of the brain and spinal cord.

THE ENDOCRINE SYSTEM

Hormones

The endocrine system is made up of glands that produce and secrete hormones, chemical substances produced in the body that regulate the activity of cells or organs. These hormones regulate the body's growth, metabolism (the physical and chemical processes of the body), and sexual development and function.

Exocrine glands (not part of the endocrine system) secrete products that are passed outside the body. Sweat glands, salivary glands, and digestive glands are examples of exocrine glands.

Hormones are grouped into three classes based on their structure:

1. Steroids
2. Peptides
3. Amines

The Nervous and Endocrine Systems

The pituitary gland (often called the master gland) is located in a small bone cavity at the base of the brain. A stalk links the pituitary to the hypothalamus, which controls release of pituitary hormones. The pituitary gland has two lobes: the anterior and posterior lobes.

Too little or too much GH (Growth hormone) can cause **dwarfism or gigantism**, respectively.

Prolactin is secreted near the end of pregnancy and prepares the breasts for milk production.

THE POSTERIOR PITUITARY

ADH (Antidiuretic hormone) controls water balance in the body and blood pressure. Oxytocin is a small peptide hormone that stimulates uterine contractions during childbirth.

Thyroid secretion is usually higher in winter than in summer.

Endocrines: The Postal System of Communication and Co-Ordination

- Hormones are chemical substances manufactured by organs called endocrine glands or ductless glands.

Ductless glands are also sometimes called 'exocrine glands'.

ENDOCRINE GLANDS OF THE BODY

Adrenal gland

The adrenal glands (also known as suprarenal glands) are endocrine glands that produce a variety of hormones including adrenaline.

They are found above the kidneys.

Hypothalamus

The hypothalamus is a portion of the brain that contains a number of small nuclei with a variety of functions.

Function: Link the nervous system to the endocrine system via the pituitary gland.

Pituitary gland

It is an endocrine gland about the size of a pea and weighing 0.5 grams in humans.

Hormones secreted from the pituitary gland help control:

- growth,
- blood pressure,
- certain functions of the sex organs,
- metabolism,
- pregnancy,
- childbirth,
- nursing,
- water/salt concentration,
- temperature regulation
- pain relief.

The Pituitary gland is also called Master gland of Human Body.

Thyroid

The thyroid gland, or simply the thyroid is one of the **largest endocrine glands** in the body.

It is found in the interior neck, below the Adam's apple.

- It secretes two hormones: Triiodothyro (T3) and tetraiodothysonine (T4), are called tyrosine. Both these hormones contain iodine.
- Hypothyroidism (hypo, 'under')-diminished thyroid activity. Hypothyroidism in childhood gives rise to a conditions called cretinism.
- It controls
- Rate of use of energy sources, protein synthesis, controls the body's sensitivity to other hormones.

Goiter - It is called enlargement of the thyroid gland. It manifests itself as a swelling in the neck.

A goiter may be associated with increased, normal or decreased activity of the thyroid gland.

Government of India launched the Universal salt iodization programme in 1986.

Pancreas

The pancreas is a glandular organ in the digestive system and endocrine system of vertebrates. In humans, it is located in the abdominal cavity behind the stomach.

It produce several important hormones

- including insulin,
- glucogen,
- somatostatin, and
- pancreatic polypeptide which circulate in the blood.

The pancreas is also a **digestive organ**, secreting pancreatic juice containing digestive enzymes that assist digestion and absorption of nutrients in the small intestine. These enzymes help to further **break down** the **carbohydrates, proteins, and lipids in the chyme**.

Reduction on the quantity of effective insulin gives rise to Diabetes Mellitus (diabetes, siphon, mellitus of honey) commonly called simply diabetes.

Saliva: Tylene, Maltase

Gastric Juice: Pepsin, Renin

Pancreatic Juice: Trypsin, Amylase, Lipase

Intestinal Juice: Erepsin, Maltase, Lactase, Sucrase, Lipase.

LYMPHATIC SYSTEM AND IMMUNITY

The Lymphatic System

- The spleen serves as a reservoir for blood, and filters or purifies the blood and lymph fluid that flows through it.
- If the spleen is damaged or removed, the individual is more susceptible to infections.

•

Immunity

- **Antibodies:** Antibodies are a type of protein molecule known as **Immunoglobulins**.

BLOOD

- Blood is a fluid connective tissue.

- The quantity of blood in the human's body is 7% of the total weight.
- pH value of blood is 7.4.
- There is an average of 5-6 litres of blood in human body.
- Female contains half litre of blood less in comparison to male.
- It also fights infection and regulates temperature.

Blood cells are produced in BONE MARROW

The main functions of blood are to transport oxygen, carbon dioxide, water, nutrients, hormones and waste around the body. Blood also fights infection and regulates temperature.

Blood has four components:

- (a) Plasma
- (b) Red blood corpuscles
- (c) White blood corpuscles
- (d) Platelets

PLASMA - Liquid portion of Blood

- It constitutes for about 54% of our blood. 92% of it is water.

Its main functions are -

- Maintaining a satisfactory blood pressure
- Volume to supplying critical proteins for blood clotting and immunity
- Medium for exchange of vital minerals such as sodium and potassium
- Helps to maintain a proper pH (acid-bas(e) balance in the body, which is critical to cell function.

RED BLOOD CORPUSCLES - Carry oxygen

- Red blood cells are disc-shaped cells containing haemoglobin
- Haemoglobin enables the cells to pick up and deliver oxygen to all parts of the body, then pick up carbon dioxide and remove it from tissues
- Its life span is from 20 days to 120 days and are then broken down into pigments called bilirubin and biliverdin in the liver
- Its destruction takes place in liver & spleen. Therefore, liver is called grave of RBC.
- They are made in the bone marrow
- They have no nucleus
- Oxyhaemoglobin = oxygen rich haemoglobin

- Deoxyhaemoglobin = low oxygen haemoglobin

WHITE BLOOD CELLS - It defend body from infections

- White blood cells, also called leukocytes
- White cells are the body's primary defense against infection
- They can move out of the blood stream and reach tissues to fight infection
- They are essential for good health
- Its life span is from 1 to 2 days
- White blood cells have nuclei and are also made in the bone marrow.

PLATELETS - Responsible for clotting

Platelets are the cells that circulate within our blood and bind together when they recognize damaged blood vessels.

Study of blood is called HEMATOLOGY.

THE CIRCULATORY SYSTEM

HUMAN HEART

The human heart is an organ that pumps blood throughout the body via the **circulatory system**, supplying oxygen and nutrients to the tissues and removing carbon dioxide and other wastes.

The human heart has four chambers:

- The right atrium and right ventricle together make up the "**right heart**"
- The left atrium and left ventricle make up the "**left heart**"
- A wall of muscle called the **septum** separates the two sides of the heart
- **Valves prevent backflow**, keeping the blood flowing in one direction through the heart.

A double-walled sac called the *pericardium* encases the heart, which serves to protect the heart and anchor it inside the chest.

Between the outer layer, the **parietal pericardium**, and the inner layer, the **serous pericardium**, runs pericardial fluid, which lubricates the heart during contractions and movements of the lungs and diaphragm.

The heart's outer wall consists of three layers:-

- The outermost wall layer or **epicardium**, is the inner wall of the pericardium.

- The middle layer or **myocardium**, contains the muscle that contracts.
- The inner layer or **endocardium**, is the lining that contacts the blood.

The **Sinoatrial node** produces the electrical pulses that drive heart contractions.

HUMAN HEART FUNCTION

The heart circulates blood through two pathways:

1. The pulmonary circuit
2. The systemic circuit

In the pulmonary circuit, deoxygenated blood leaves the right ventricle of the heart via the pulmonary artery and travels to the lungs, then returns as oxygenated blood to the left atrium of the heart via the **pulmonary vein**.

In the systemic circuit, oxygenated blood leaves the body via the left ventricle to the aorta, and from there enters the arteries and capillaries where it supplies the body's tissues with oxygen. Deoxygenated blood returns via veins to the **vena cava**, re-entering the heart's right atrium.

The *cardiovascular system* circulates blood from the heart to the lungs and around the body via blood vessels.

Blockage of any artery can cause a heart attack, or damage to the muscle of the heart. A heart attack is distinct from cardiac arrest, which is a sudden loss of heart function that usually occurs as a result of electrical disturbances of the heart rhythm.

The heart contains electrical "pacemaker" cells, which cause it to contract – producing a heartbeat. The aorta is the main artery leaving the heart.

The pulmonary artery is the only artery that carries oxygen-poor blood. The pulmonary artery carries deoxygenated blood to the lungs.

The veins have valves that prevent backflow of blood.

Important Points:

- **Aorta**
The largest artery in the body. It carries oxygen-rich blood away from the heart to vessels that reach the rest of the body.
- **Atria**
The chambers of the heart, to which the blood returns from the circulation.

Capillaries

The smallest of the body's blood vessels. Oxygen and glucose pass through capillary walls and enter the cells. Waste products such as carbon dioxide pass back from the cells into the blood through capillaries.

Cardiac Valves (Heart Valves)

Any of the four heart valves that regulate the flow of blood through the chambers of the heart.

Oxygenated Blood - Oxygen-rich blood.

Deoxygenated Blood - Oxygen-poor blood.

Heart Ventricles - The lower right and left chambers of the heart.

Interventricular Septum

Interventricular septum is the stout wall separating the lower chambers (the ventricles) of the heart from one another.

Lungs

One of a pair of organs in the chest that supplies the body with oxygen, and removes carbon dioxide from the body.

Myocardium

The muscular substance of the heart; the middle of the three layers forming the outer wall of the human heart.

Pulmonary Artery

The pulmonary artery and its branches deliver blood rich in carbon dioxide (and lacking in oxygen) to the capillaries that surround the air sacs.

Pulmonary Circulation

The circulation of the blood through the lungs.

Pulmonary Veins

The veins that return the oxygenated blood from the lungs to the left atrium of the heart.

Superior Vena Cava

The large vein that carries blood from the head, neck, arms, and chest to the heart.

Vena Cava

A large vein which returns blood from the head, neck and extremities to the heart.

- Endothelium is the innermost layer of blood vessels that consists of just a single layer of cells.
- Veins are blood vessels that carry blood to the heart in an even flow. They have thin walls large lumens and valves.
- A pulse is the alternate contraction and relaxation of an artery as blood passes through it.

- Blood pressure is the force blood exerts on the walls of blood vessels.
- A Sphygmomanometer is used for measuring blood pressure (normally 120/80 mm Hg)
- Atherosclerosis is the hardening of artery walls due to a build-up of fatty deposits.
- Smoking causes heart rate and blood pressure to increase. Diet high in saturated fats increase blood pressure and atherosclerosis. Exercise helps lower blood pressure.

Blood Groupings

- Father of Blood Grouping : Karl Landsteiner
- He discovered A, B and O blood groups
- Decastello and Sturli discovered AB blood groups

RH factor

- It is a blood antigen found in RBC
- A person can be Rh+ or Rh- depending upon the presence of Rh factor in RBC
- Rh+ can receive blood from both Rh+ and Rh- but Rh- can receive blood only from Rh- only

Blood transfusion techniques was developed by Dr. James Blundell.

THE REPRODUCTIVE SYSTEM

Asexual Reproduction

- Asexual reproduction allows an organism to rapidly produce many offspring without the time and resources committed to courtship, finding a mate, and mating.
- The hydra produces buds; starfish can regenerate an entire body from a fragment of the original body.

Sexual Reproduction

- In sexual reproduction new individuals are produced by the fusion of haploid gametes to form a diploid zygote.
- Sperm are male gametes, ova (ovum singular) are female gametes.
- Meiosis produces cells that are genetically distinct from each other.
- Fertilization is the fusion of two such distinctive cells.

Human Reproduction and Development

- Gonads are sex organs that produce gametes. Male gonads are the testes, which produce sperm and

male sex hormones. Female gonads are the ovaries, which produce eggs (ov(a) and female sex hormones.

The Male Reproductive System

- Sperm production begins at puberty and continues throughout life, with several hundred million sperm being produced each day. Once sperm form they move into the epididymis, where they mature and are stored.

External Genitals

- The female external genitals are collectively known as the vulva.

Sexually Transmitted Diseases

STDs can affect the sex partners, fetus, and newborn infants. STDs are grouped into three categories.

Category One

STDs that produce inflammation of the urethra, epididymis, cervix, or oviducts. Gonorrhea and chlamydia are the most common STDs in this category. Both diseases can be treated and cured with antibiotics, once diagnosed.

Category Two

STDs that produce sores on the external genitals. Genital herpes is the most common disease in this class. Symptoms of herpes can be treated by antiviral drugs, but the infection cannot be cured. Syphilis is a bacterially caused infection, and can, if left untreated, cause serious symptoms and death. However, the disease is curable with antibiotics.

Category Three

This class of STDs includes viral diseases that affect organ systems other than those of the reproductive system. AIDS and hepatitis B are in this category. Both can be spread by sexual contact or blood. Infectious individuals may appear symptom-free for years after infection.

The separation of intercourse from pregnancy uses methods blocking one of the three stages of reproduction

- release and transport of gametes
- fertilization
- implantation

PLANT REPRODUCTION

Flowers

Reproductive parts of the flower are the stamen (male, collectively termed the androecium) and carpel (often the carpel is referred to as the pistil, the female parts collectively termed the gynoecium).

Pollen

Pollen grains contain the male gametophyte (microgametophyt(e) phase of the plant. They are produced by meiosis of microspore mother cells that are located along the inner edge of the anther sacs (microsporangi(a).

Pollination

The transfer of pollen from the anther to the female stigma is termed pollination. This is accomplished by a variety of methods:

- **Entomophyly** is the transfer of pollen by an insect.
 - **Anemophyly** is the transfer of pollen by wind.
- Other pollinators include birds, bats, water, and Humans.

Double Fertilization

The process of pollination being accomplished, the pollen tube grows through the stigma and style toward the ovules in the ovary.

Fruit

The ovary wall, after fertilization has occurred, develops into a fruit. Fruits may be fleshy, hard, multiple or single.

Note:- Seeds germinate, and the embryo grows into the next generation sporophyte.



THE DIGESTIVE SYSTEM

Stages in the Digestive Process

1. **MOVEMENT** : propels food through the digestive system
2. **SECRETION** : release of digestive juices in response to a specific stimulus
3. **DIGESTION** : breakdown of food into molecular components small enough to cross the plasma membrane
4. **ABSORPTION**: passage of the molecules into the body's interior and their passage throughout the body
5. **ELIMINATION**: removal of undigested food and wastes

The human digestive system, is a coiled, muscular tube (6-9 meters long when fully extended) stretching from the mouth to the anus.

The Mouth and Pharynx

Chemical breakdown of starch by production of salivary amylase from the salivary glands into glucose. This mixture of food and saliva is then pushed into the pharynx and oesophagus.

The Stomach

Gastric juice in stomach contains:

- Hydrochloric acid(HCl),
- Pepsinogen and
- Mucus

Functions of Hydrochloric acid(HCl) :

- It kills microorganisms
- It lowers the stomach pH to between 1.5 and 2.5
- It lowers pH of the stomach so pepsin is activated

Pepsinogen is an enzyme that starts protein digestion and controls the hydrolysis of proteins into peptides.

Chyme, the mix of acid and food in the stomach, leaves the stomach and enters the small intestine.

Alcohol and aspirin are absorbed through the stomach lining into the blood. Epithelial cells secrete mucus that forms a protective barrier between the cells and the stomach acids.

ULCERS

Peptic ulcers result when these protective mechanisms fail.

Bleeding ulcers result when tissue damage is so severe that bleeding occurs into the stomach.

Perforated ulcers are life-threatening situations where a hole has formed in the stomach wall.

At least 90% of all peptic ulcers are caused by *Helicobacter pylori*.

Other factors, including stress and aspirin, can also produce ulcers.

THE SMALL INTESTINE

- The small intestine is the major site for digestion and absorption of nutrients.
- It is about 22 feet (6.7 meters) long.

Parts of small intestine:

1. Duodenum
 2. Jejunum
 3. Ileum
- Sugars and amino acids go into the bloodstream via capillaries in each villus.
 - Glycerol and fatty acids go into the lymphatic system.
 - Starch and glycogen are broken down into maltose by small intestine enzymes.
 - **Maltose, sucrose, and lactose** are the main carbohydrates present in the small intestine; they are absorbed by the microvilli.
 - Enzymes in the cells convert these disaccharides into monosaccharides that then leave the cell and enter the capillary.
 - **Gluten enteropathy** is the inability to absorb gluten, a protein found in wheat.
 - Fat digestion is usually completed by the time the food reaches the ileum (lower third) of the small intestine. Bile salts are in turn absorbed in the ileum and are recycled by the liver and gall bladder.

LIVER

The liver produces and sends bile to the small intestine via the hepatic duct.

Bile contains cholesterol, phospholipids, bilirubin and a mix of salts.

In addition to digestive functions, the liver plays several other roles:

- (1) detoxification of blood
- (2) synthesis of blood proteins
- (3) destruction of old erythrocytes and conversion of haemoglobin into a component of bile
- (4) production of bile
- (5) storage of glucose as glycogen, and its release when blood sugar levels drop
- (6) production of urea from amino groups and ammonia.

GALL BLADDER

It stores excess bile for release at a later time. We can live without our gall bladders, in fact many people have had theirs removed. The drawback, however, is a need to be aware of the amount of fats in the food they eat since the stored bile of the gall bladder is no longer available.

Glycogen is a polysaccharide made of chains of glucose molecules.

In plants starch stored in the form of glucose, while animals use glycogen for the same purpose.

Low glucose levels in the blood cause the release of hormones, such as glucagon, that travel to the liver and stimulate the breakdown of glycogen into glucose, which is then released into the blood (raising blood glucose levels).

When no glucose or glycogen is available, amino acids are converted into glucose in the liver. The process of deamination removes the amino groups from amino acids. Urea is formed and passed through the blood to the kidney for export from the body. Conversely, the hormone insulin promotes the take-up of glucose into liver cells and its formation into glycogen.

Liver Diseases -

Jaundice occurs when the characteristic yellow tint to the skin is caused by excess hemoglobin breakdown products in the blood, a sign that the liver is not properly functioning.

Hepatitis A, B, and C are all viral diseases that can cause liver damage.


Cirrhosis: Cirrhosis of the liver commonly occurs in alcoholics, who place the liver in a stress situation due to the amount of alcohol to be broken down. Cirrhosis can cause the liver to become unable to perform its biochemical functions. **Chemicals responsible for blood clotting are synthesized in the liver, as is albumin, the major protein in blood.**

(D) The Large Intestine

The large intestine is made up by the colon, cecum, appendix, and rectum.

VITAMINS

Vitamins: Vitamins are organic molecules required for metabolic reactions. They usually cannot be made by the body and are needed in trace amounts. Vitamins may act as enzyme cofactors or coenzymes.



VITAMIN K (Phylloquinon(e))

Source - Green leafy vegetables, soya beans. The human body can also produce Vitamin K through germs in the colon (part of small intestine).

Function -

- Helps blood clotting, prevent over bleeding
- Maintains health of the liver

Symptoms of deficiency - Uncontrol bleeding from wounds

due to clotting difficulty

Symptoms of Excess - Can lead to liver damage.

VITAMIN E (Tocopherol)=Beauty Vitamin

It is also known as Antisterility Vitamin.

Source - Green leafy vegetables, whole-wheat cereals, nuts, sprouts, egg yolk.

Function -

- Maintains normal conditions of cells, and healthy skin and tissues
- Protects red blood cells
- Antioxidation
- Enhance immunity

Symptoms of deficiency - New born infants: haemolytic anaemia, Adults: weakness.

Symptoms of Excess -

- Low Thyroxine level
- Fertility Disease
- Headache, dizziness, fatigue
- Stomach discomfort, poor appetite

VITAMIN D (Calciferol)=(Sunshine Vitamin)

Source - Egg yolk, liver, cod liver oil, fish. Our skins also produces Vitamin D when exposed to sunlight.

Function -

- Helps body absorb and utilize calcium and phosphorus, so as to maintain bones, teeth and brain healthy
- Maintains normal calcium level in blood

Symptoms of deficiency- Children: Rickets, Adults: Osteomalacia, Osteoporosis.

Symptoms of Excess -

- Calcified cartilage
- High calcium level in the blood causes abnormal heart beat and damage to organs such as kidneys
- Vomiting, diarrhea
- Sore eyes
- Itchy skin

VITAMIN A (Retinol)

Source - Dairy products, cod liver oil,liver, dark green and yellow vegetables and fruits

Function -

- Maintains eye health
- Promotes growth and development, maintains healthy bones and teeth
- Enhances the protection and regeneration of cells and mucous membrane
- Maintains healthy respiratory and intestinal tracts
- Maintain healthy hair, nails and skin

Symptoms of Deficiency -

- Night blindness, dry eyes
- Dry skin
- Stomach discomfort
- Poor growth
- Weak bones and teeth

Symptoms of excess -

- Dry, scaly, peeling, and itchy skin, rash
- Hair loss
- Poor appetite, fatigue
- Vomiting, stomach discomfort
- Liver injury
- Headache, bone pain
- Nervousness, irritability

VITAMIN B

VITAMIN B1 (Thymin(e))

Source - Sprouts, yeast
Deficiency disease - Beri-beri

VITAMIN B2 (Riboflabin)

Source - Sprout, present in cow's milk(yellowish)
Deficiency disease - Cheilosis, ulceration

VITAMIN B6 (Pyridoxin(e))

Function - Vitamin B6 helps the body make several neurotransmitters, chemicals that carry signals from one nerve cell to another. It is needed for normal brain development and function, and helps the body make the hormones serotonin and norepinephrine, which influence mood, and melatonin, which helps regulate the body clock.

Symptoms of Deficiency - Anaemia, Nervousness, insomnia, depression, Muscle cramps

VITAMIN C (Ascorbic aci(d))

Source - Citrus fruits (orange, grapefruit, lemon), strawberry, black current, kiwi fruit, tomato, green leafy vegetables, green pepper.

Function -

- Helps synthesize collagen; promotes the growth and repair of cells, gum, teeth, blood vessels and bones
- Helps healing after operation and injury
- Helps calcium and iron absorption
- Enhances immunity

Symptoms of Deficiency -

- Scurvy
- Gum
- Inflammation and bleeding, fall of teeth
- Susceptibility to skin bleeding, burst of capillary vessels
- Weakness, fatigue
- Bone pain, swollen and aching joints.

Symptoms of Excess -

- Abdominal pain
- Diarrhea
- Kidney stone.

TYPES OF VITAMINS:

Vitamin	Chemical Name	Food Sources	Deficiency Diseases
A	Retinol	Milk, eggs, fish, butter, cheese and liver	Night blindness, Skin dryness
B1	Thiamine	Legumes, whole grain, nuts	Beri-beri
B2	Riboflavin	Egg, milk, cheese, nuts, bread products	Inflammation of tongue, sores in the corners of the mouth
B3	Niacin or Nicotinic acid	Meat, fish, pea nuts, whole grain	Skin disease, diarrhoea, depression,

			dementia
B5	Pantothenic acid	Eggs, liver, dairy products	Fatigue, muscle cramp, Pellagra
B6	Pyridoxine	Organ meats, cereals, corn	Anaemia, kidney, stones, nausea, depression
B12	Cyanocobalamin	Meat, fish	Pale skin, constipation, fatigue
C	Ascorbic acid	Oranges, tomatoes, sweet and white potatoes	Scurvy, anaemia, ability to fight infections decreases
D	Calciferol	Direct sunlight, fish oils, eggs	Rickets, osteomalacia
E	Tocopherol	Vegetable oils, olives, tomatoes, almonds, meat, eggs	Neurological problems, problems of reproductive system
K	Phylloquinone or Naphthoquinone	Soyabeans, green leafy vegetables, dairy products, meat.	Failure to clot blood.

Minerals: Iron(for hemoglobin), iodine (for thyroxin), calcium (for bones), and sodium (nerve message transmission) are examples of minerals.



Digestion in Animals Facts

- Starfish feeds on animals covered by half shells of calcium carbonate.
- The saliva breakdown the starch into sugar.
- Liver situated in the upper part of the abdomen on the right side. It is the largest gland in the body.
- In the process of digestion carbohydrates get broken down into simple sugars such as glucose. Fats into fatty acid and glycerol. Proteins into amino acid.
- The grass is rich in cellulose a type of carbohydrates human cannot digest cellulose.

- Amoeba is a microscopic single celled organism found in pond water. When it sense food, it pushes out one or more finger like projection (pseudopodi(a) around the food particles and engulf it and then the food becomes trapped in a food vacuole.

THE EXCRETORY SYSTEM

Excretory Systems in Various Animals

Components of this system in vertebrates include the kidneys, liver, lungs, and skin.

Water and Salt Balance

The excretory system is responsible for regulating water balance in various body fluids.

Osmoregulation refers to the state aquatic animals are in: they are surrounded by freshwater and must constantly deal with the influx of water.

The Human Excretory System

The urinary system is made-up of the kidneys, ureters, bladder, and urethra. The Nephron, an evolutionary modification of the nephridium, is the kidney’s functional unit.

The Nephron has three functions:

1. Glomerular filtration of water and solutes from the blood.
2. Tubular reabsorption of water and conserved molecules back into the blood.
3. Tubular secretion of ions and other waste products from surrounding capillaries into the distal tubule.

Kidney Stones

In some cases, excess wastes crystallize as kidney stones. They grow and can become a painful irritant that may require surgery or ultrasound treatments.

Kidney Functions

1. Maintain volume of extracellular fluid
2. Maintain ionic balance in extracellular fluid
3. Maintain pH and osmotic concentration of the extracellular fluid.
4. Excrete toxic metabolic by-products such as urea, ammonia, and uric acid.

Kidneys, The Fascinating Filters

Nephron is the filtration unit of kidney.

- Excessive eating (polyphagi(a), excessive drinking (polydipsi(a) and too much of urine (polyuri(a) are three cardinal symptoms of diabetes. The 'hypothesis' produces a chemical substance called 'antidiuretic hormone (ADH)'.
 - The Adrenal gland maintains the regulating salt in the body and is located in an organ lying just over the kidney. As soon as the salt (sodium) concentration become just a little less than normal, it release into the blood stream a substance called 'aldosterone'.
 - Renal transplantation or dialysis (artificial kidney) are the supportive measure when the damage to kidney reaches a certain point.

Hormone Control of Water and Salt

Water reabsorption is controlled by the Antidiuretic hormone (ADH) in negative feedback.

ADH is released from the pituitary gland in the brain. Dropping levels of fluid in the blood signal the hypothalamus to cause the pituitary to release ADH into the blood. ADH acts to increase water absorption in the kidneys.

Aldosterone, a hormone secreted by the kidneys, regulates the transfer of sodium from the nephron to the blood. When sodium levels in the blood fall, aldosterone is released into the blood, causing more sodium to pass from the Nephron to the blood. This causes water to flow into the blood by osmosis. Renin is released into the blood to control aldosterone.

PHOTOSYNTHESIS

- The raw materials of photosynthesis, water and carbon dioxide, enter the cells of the leaf, and the products of photosynthesis, sugar and oxygen leave the leaf.
- Water enters the root and is transported up to the leaves through specialized plant cells known as xylem.
- Carbon dioxide cannot pass through the protective waxy layer covering the leaf (cuticle), but it can enter the leaf through an opening flanked by two guard cells.
- Likewise, oxygen produced during photosynthesis can only pass out of the leaf through the opened stomata.
- **Chlorophyll and Accessory Pigments**
- Chlorophyll, the green pigment common to all photosynthetic cells absorbs all wavelengths of visible light except green, which it reflects to be detected by our eyes.
- Black pigments absorb all of the wavelengths that strike them.

DIVERSITY IN LIVING ORGANISMS

Biodiversity refers number and types of wide variety of plants and animals present on earth.

- In 1773, Swedish botanist Carolus Linnaeus formulated the system of Binomial Nomenclature in his book 'Species plantarum'. In binomial system, each name is expressed in
 - two parts i.e., generic name and specific name.
- Taxonomy is the branch of biology that deals with the framing of laws and principles for classifying the organisms on the basis of their characteristics and evolutionary relationships.
- The hierarchical system of classification was introduced by Linnaeus.
 - Kingdom→Phylum or Division→Class→Order→Family→Genus→Species
- Species is defined as "the smallest real basic unit of taxonomy which is reproductively isolated from other group of individuals".

- Genus is a group of closely related species that are alike in broad features of their organisation.
- Family is a group of related genera having several common characters.
- Generally, Order and other higher taxonomic categories are identified based on the aggregates of characters.
- A Class is made of one or more related orders.
- The term Phylum is used for animals while Division is commonly employed for plants.
- Kingdom is the highest taxonomic category. All plants are included in Kingdom Plantae. All animals are included in Kingdom Animalia.
- Herbarium is a collection of pressed and dried plant specimens that are preserved on paper sheets.
- In Botanical garden, various plants groups are grown for scientific study, conservation, public education, aesthetics, and recreation. The famous botanical gardens are at Kew (England), Indian Botanical Garden, Howrah (India) and National Botanical Research Institute, Lucknow (India).
- Museum is a building used for the preservation, storage and exhibition of inanimate objects.
- Zoological park or zoological garden or zoo is a place where wild animals are kept in protected environment under human care. These animals are kept for public exhibition.

History of Classification

- Biological classification was first proposed by Aristotle who used simple morphological characters to classify plants and animals.
- Linnaeus initially separated plants and animals in two Kingdoms i.e., Kingdom Plantae and Kingdom Animalia.
- Most accepted System of classification is Five system classification which was given by Whittaker.

Kingdom Monera

The bacteria are categorized underneath the Kingdom Monera. Bacteria occur everywhere and they are microscopic in nature. They possess cell wall and are prokaryotic. The cell wall is formed of amino acids and polysaccharides. Bacteria can be heterotrophic and autotrophic. The heterotrophic bacteria can be parasitic

or saprophytic. The autotrophic bacteria can be chemosynthetic or photosynthetic.

Kingdom Protista

They are unicellular and eukaryotes. Some of them have cilia or flagella for mobility. Sexual reproduction is by a process of cell fusion and zygote formation.

Kingdom Fungi

The fungi are filamentous; excluding yeast (single celled). Their figure comprises of slender, long thread-like constructions; called hyphae. The web of hyphae is called mycelium. Some of the hyphae are unbroken tubes which are jam-packed with multi nucleated cytoplasm. Such hyphae are labelled Coenocytic hyphae. The other type of hyphae has cross-walls or septae. The cell wall of fungi is composed of polysaccharides and chitin.

Most of the fungi are saprophytes and are heterotrophic. Some of the fungi also survive as symbionts. Some are parasites. Some of the symbiont fungi live in association with algae, like lichens. Some of the symbiont fungi live in association with roots of higher plants, as mycorrhiza.

Kingdom Plantae

The kingdom is filled with all eukaryotes which have chloroplast. Most of them are autotrophic in nature, but some are heterotrophic as well. The Cell wall mainly comprises of cellulose.

Plants have two distinctive phases in their lifecycle. These phases alternate with each other. The diploid saprophytic and the haploid gametophytic phase. The lengths of the diploid and haploid phases vary among dissimilar groups of plants. Alternation of Generation is what this phenomenon is called.

Kingdom Animalia

All multicellular eukaryotes which are heterotrophs and lack cell wall are set aside under this kingdom. The animals are directly or indirectly dependent for food on plants. Their mode of nutrition is holozoic. Holozoic nutrition encompasses ingestion of food and then the use of internal cavity for digestion of food. Many of the animals are adept for locomotion. Sexual reproduction is by copulation of male and female which is followed by embryological development.



Viruses

- The term 'virus' has been derived from latin, which means poison or venom or viscous fluid. They are obligate parasites, i.e., can live inside living host only. They have either RNA or DNA. They have character of both living and non-living.

Plant Kingdom

Bryophytes -

- Bryophytes are also called amphibians of the plant kingdom because these plants can live in soil but are dependent on water for sexual reproduction. They usually occur in damp, humid and shaded localities.
- Species of Sphagnum, a moss, provide peat that have long been used as fuel, and because of their capacity to hold water as packing material for trans-shipment of living material.

Pteridophytes -

- Evolutionarily, they are the first terrestrial plants to possess vascular tissues - xylem and phloem.
- The main plant body is a sporophyte which is differentiated into true root, stem and leaves. These organs possess well-differentiated vascular tissues. Examples are Psilotum, Equisetum, Dryopteris, Marsilea, etc.

Gymnosperms -

- Gymnosperms are plants which bear naked seeds i.e., the ovules and the seeds that develop from these ovules after fertilization are not enclosed in fruit wall.
- Roots in some genera have fungal association in the form of mycorrhiza (Pinus), while in some other

(Cycas) small specialised roots called coralloid roots are associated with Nitrogen fixing cyanobacteria.

Angiosperms (Flowering Plants) -

- Angiosperms are seed bearing, flowering vascular plants in which seeds are enclosed in fruits.
- The flower is the most characteristic structure of the angiosperms. The male sex organ in a flower is the stamen.
- Each stamen consists of a slender filament with an anther at the tip. The anthers, following meiosis, produce pollen grains.
- The female sex organ in a flower is the pistil or the carpel. Pistil consists of an ovary enclosing one to many ovules.
- Within ovules are present highly reduced female gametophytes termed embryo sacs.
- Each embryo-sac has a seven-celled egg apparatus - one egg cell and two synergids, three antipodal cells and two polar nuclei. The polar nuclei eventually fuse to produce a
- diploid secondary nucleus.
- Pollen grain, after dispersal from the anthers, are carried by wind or various other agencies to the stigma of a pistil. This is termed as pollination.
- The pollen tubes enter the embryo-sac where two male gametes are discharged. One of the male gametes fuses with the egg cell to form a zygote (syngamy). The other male gamete fuses with the diploid secondary nucleus to produce the triploid primary endosperm nucleus (PEN). Because of the involvement of two fusions, this event is termed as double fertilisation, and event unique to angiosperms.

Animal Kingdom

- Animals are the most diverse groups of organisms. Multicellular, heterotrophs characterised by mobility, sensory and nervous systems.

Phylum-Porifera

- Sponges are aquatic, mostly marine, solitary or colonial and sessile.
- Examples of some sponges are : Sycon (scyph(a)), Spongilla (fresh water spong(e)) and Euspongia (bath spong(e)).

Phylum-Coelenterata (Cnidari(a))

- All are aquatic and are mostly marine (exception-Hydra are found in fresh-water), solitary or colonial,

sessile, or freeswimming and radially symmetrical animals.

- Example-Physalia (Portuguese man of war), Adamsia (Sea anemon(e), Pennatula (Sea-pen), Gorgonia (Sea-fan) and Meandrina (Brain coral).

Phylum-Ctenophora

- These are diploblastic, radial symmetrical animals with tissue level of organization.
- Examples-Hormiphora (sea walnut), Pleurobranchia (sea gooseberry), Cestum (venus girdl(e), Beroe.

Phylum-Platyhelminthes

- These are mostly endoparasites, bilateral symmetrical, triploblastic and acoelomate animals with organ level of organisation.
- Examples- Taenia (Tape worm), Fasciola (liver fluk(e).

Phylum-Aschelminthes

- They may be free-living, aquatic and terrestrial or parasitic in plants and animals.
- Examples: Ascaris(Round worm), Wuchereria (filarial worm), Ancylostoma (Hook worm), Enterobius (Pin worm).

Phylum-Annelida

- It is characterised by metameric segmentation forming ring like segments.
- Example: Neries, Pheretima (Earthworm) and Hirudinaria (Blood sucking leech).

Phylum-Arthropoda

- They are bilateral symmetry, triploblastic animals, which have organ-system level of organisation.
- Example: Apis (Honey be(e), Bombyx (Silkworm), Laccifer (Lac insect).

Phylum-Mollusca

- They are aquatic (marine or fresh water), or terrestrial having an organ-system level of organisation.
- Ex. Pila, Octopus (devil fish), Loligo (sea squi(d).
- Phylum-Echinodermata
- All existing echinoderms are marine, generally live at sea bottom.
- Ex. Asterias (star fish), Cucumaria (commonly called as sea cucumber), Antedon (water lily or feather star).

Phylum-Hemichordata

- They are bilaterally symmetrical, triploblastic, and entrocoelous animals.
- Ex. Balanoglossus (acorn worm or tongue worm), Saccoglossus.

Phylum-Chordata

- The fundamental four characters of phylum chordata are presence of notochord, a dorsal hollow nerve cord, paired pharyngeal gill slits and post anal tail either in the embryonic or adult stage.
- Examples: Herdmania (sea squirt), Branchiostoma.

Subphylum vertebrata is divided into two sections:

Section 1 Agnatha (The jawless vertebrates)

Class : Cyclostomata

- Mouth jawless suctorial and round.
 - All living members are ectoparasites on some fishes.
- Ex. Petromyzon (lamprey), Myxine (hag fish).

Section 2 Gnathostomata (The jawed vertebrates)

Superclass : Pisces (Bear fins)

Class : Chondrichthyes

- They have a cartilagenous skeleton.
- Some of them possess electric organs e.g. Torpedo.
- Examples: Scoliodon (Dog fish), Trygon (Sting ray).

Class : Osteichthyes

- They have a bony skeleton.
- Examples : Marine - Exocoetus (Flying fish), Hippocampus(Sea hors(e), Lophius (Angler fish), Fresh water fishes - Labeo (Rohu), Catla (Katl(a).

Superclass : Tetrapoda (Bear Limbs)

Class : Amphibia

- Adapted for both water and land life.
 - They are oviparous and development indirect through distinct larval stage called tadpole.
- Examles : Bufo (Toa(d), Rana (Frog), Hyla (Tree frog), Salamandra (Salamander),

Ichthyophis (Limbless amphibi(a).

Class: Reptilia

- The class name refers to their creeping or crawling mode of locomotion.
- They are oviparous ; Development direct.

Examples: Crocodilus (Crocodil(e), Bangarus (Krait)

Class: Aves

- Birds are bipedal feathered animals.
- Endoskeleton is fully ossified (bony) and the long bones are hollow with air cavities (pneumati(c).

Examples : Corvus (crow), Pavo (Peacock).

Class: Mammalia

- These are warm blooded (homiothermous) animals having hair and mammary glands.
- They are viviparous with few exceptions and development is direct.

Example : Oviparous - Tachyglossus = Echidna (spiny Anteater). Viviparous - Pteropus (Flying fox), Camelus (Camel), Macaca (Monkey).

MICRO ORGANISMS

Micro organisms are classified into four major groups. These groups are bacteria, fungi, protozoa and algae.

- Micro organisms may be single celled like bacteria, Some algae and protozoa. Multicellular such as algae and fungi.
- Micro organisms like amoeba can live alone, while fungi and bacteria may live in colonies.

Advantages of Micro Organisms

- Making of curd and bread :-Milk is turned into curd by bacteria. The bacterium "lactobacillus" promotes the formation of curd.
- Yeast reproduces rapidly and produces CO₂ during respiration. Bubbles of the gas fill the dough and increase its volume.
- Yeast is used for commercial production of alcohol and wine. For this purpose yeast is grown as natural sugars present in grains like barley, wheat, rice, crushed fruit juice etc.
- This process of conversion of sugar into alcohol is known as fermentation. Lewis Pasteur discovered fermentation.

Medicinal Use of Micro Organisms

- The medicine which kills or stops the growth of diseases causing microorganism is called antibiotics.
- Streptomycin, tetracycline and Erythromycin are some of the commonly known antibiotics. Which are made from fungi and bacteria.
- Alexander Fleming discovered penicillin.
- Antibiotics are not effective against cold and flu as these are caused by virus.

Vaccine

- Edward Jenner discovered the vaccine for small pox.

Harmful Microorganisms

- Disease-causing microorganisms are called pathogens.
- Microbial diseases that can spread from an infected person to a healthy person through air water, food, or physical contact are called communicable diseases. i.e.- cholera, common cold, chicken pox and TB.
- Female anopheles mosquito which carries the parasite of malaria.
- Female Aedes mosquito acts as carrier of dengue virus.
- Robert Koch discovered the bacteria (bacillus anthracis) which causes anthrax disease.



Common Methods of Preserving Food in our Homes

- **Chemical method:** Salt and Edible oils are the common chemical generally used.
- Sodium benzoate and sodium metabisulphite are common preservatives. These are also used in the Jams and squashes to check their spoilage.

Preservation by sugar :

- Sugar reduces the moisture context which inhibits the growth of bacteria which spoil food.
- Use of oil and vinegar prevents spoilage of pickles become bacteria cannot live in such an environment.
- Pasteurized milk : the milk is heated to about 70°C for 15 to 30 seconds and then suddenly chilled and stored.
- This process was discovered by Louis Pasteur. It is called pasteurization.

SOME IMPORTANT TABLES

Important Facts About Human Body:

Largest and strongest Bone in the body:	Femur (thigh bon(e))
Smallest Bone in the body:	Stapes in ear
Volume of Blood in the body:	6 litres (in 70 kg body)
Number of Red Blood Cells(R.B.C.):	1. In male: 5 to 6 million/cubic mm 2. In female: 4 to 5 million/cubic mm
Life span of Red Blood Cells(R.B.C.):	100 to 120 days
Life span of White Blood Cell(W.B.C.):	3-4 days
Time taken by R.B.C. to complete one cycle of circulation:	20 seconds
Other name of Red Blood Cell (R.B.C.):	Erythrocytes
Largest White Blood Cells:	Monocytes
Smallest White Blood Cells:	Lymphocyte
Who discovered Blood Group:	Karl Landsteiner
Blood Platelets count:	150,000 - 400,000 platelets per micro litre
Haemoglobin (H(b):	1. In male: 14-15 gm/100 c.c. of blood 2. In female: 11-14 gm/100 c.c. of blood
Hb content in body:	500-700 gm
pH of Urine:	6.5-8
pH of Blood:	7.36-7.41
Volume of Semen:	2-5 ml/ejaculation
Normal Sperm Count:	250-400 million/ejaculation
Menstrual cycle:	28 days
Menopause age:	45-50 years
Blood clotting time:	3-5 minutes
Weight of Brain:	1300-1400 gm in human adult
Normal Blood Pressure (B.P.):	120/80 mm Hg
Universal blood donor:	O
Universal blood recipient:	AB
Average body weight:	70 kg
Normal body temperature:	37 degree Celsius
Breathing Rate at rest:	12-16/minute
Number of Spinal Nerves:	31 pairs
Largest Endocrine Gland:	Thyroid gland
Normal Heart Beat at rest:	72 beats per minute
Largest Gland:	Liver
Largest Muscle in the body:	Gluteus Maximus or Buttock Muscle
Smallest Muscle in the body:	Stapedius
Largest Artery:	Aorta
Largest Vein:	Inferior Vena Cava
Largest and longest Nerve:	Sciatic Nerve
Longest Cell:	Neurons (nerve cells)
Minimum distance for proper vision:	25 cm
Pulse rate:	72 per minute
Thinnest Skin:	Eyelids
Weight of Heart:	200-300 gm

Common Drugs and Their Usage:

Drugs/Medicine	Use
Anaesthetics	It is a drug that induces insensitivity to pain.
Antiflatulent	It is a drug that reduces intestinal gas
Antipyretics	It is a drug used to lower body temperature.
Analgesics	It is a drug that is used to prevent or relieve pain. Eg. Aspirin.
Antibiotics	It is a drug that inhibits the growth of or destroys micro-organisms. Eg. Penicillin.
Antihistamines	It is a drug used to relieve symptoms of cold and allergies.
Antispasmodic	It is a drug used to relieve spasm of involuntary muscle usually in stomach.
Antacid	It is a drug used for preventing or correcting acidity, especially in the stomach.
Diuretics	It is a drug that promotes the production of urine.
Laxative	It is a drug used to provide relief in constipation.

DFCCIL 2021

Notification Out

Learn with India's No.1 Platform with highest selections

Live
Classes

Test
Series

ebooks

ENROLL NOW

TYPES OF DISEASES

List of Diseases caused by Virus, Bacteria, Protozoa and Worm:

Disease caused by Viruses:

1. Chicken pox - It is caused by Varicella-zoster virus.
2. Small Pox - It is caused by Variola virus.
3. Common Cold -It is caused by Rhinovirus.
4. AIDS (Acquired Immunono Deficiency Syndrom(e)) - It is caused by Human Immunodeficiency Virus (HIV).
5. Measles -It is caused by Measles virus.
6. Mumps -It is caused by Mumps virus.
7. Rabies - It is caused by Rabies virus (Rhabdoviridae family).
8. Dengue fever -It is caused by Dengue virus.
9. Viral encephalitis - It is an inflammation of the brain. It is caused by rabies virus, Herpessimplex, polio virus, measles virus, and JC virus.

Disease caused by Bacteria:

1. Whooping Cough - It is caused by a bacterium called Bordetella pertussis.
2. Diphtheria - It is caused by Corynebacteriumdiphtheriae.
3. Cholera - It is caused by Vibrio cholerae.
4. Leprosy - It is caused by Mycobacterium leprae.
5. Pneumonia -It is caused by Streptococcus pneumoniae.

6. Tetanus -It is caused by Clostridium tetani.
7. Typhoid - It is caused by Salmonella typhi.
8. Tuberculosis -It is caused by Mycobacterium tuberculosis.
9. Plague - It is caused by Yersinia pestis.

DISEASE CAUSED BY PROTOZOANS:

1. Malaria	It is spread by Anopheles mosquitoes. The Plasmodium parasite that causes malaria is neither a virus nor a bacteria. It is a single celled parasite that multiplies in red blood cells of humans.
2. Amoebic dysentery	It is caused by Entamoebahistolytica.
3. Sleeping sickness	It is caused by Trypanosomabrucei.
4. Kala azar	It is caused by Leishmaniadonovani.

DISEASE CAUSED BY WORMS:

1. Tapeworm	They are intestinal parasites. It cannot live on its own. It survives within the intestine of an animal including human.
2. Filariasis	It is caused by threadlike filarial nematode worms. Most cases of filaria are caused by the parasite known as Wuchereriabancrofti.
3. Pinworm	It is caused by small, thin, white roundworm called Enterobiusvermicularis.

VITAMINS AND MINERAL DEFICIENCY DISEASES:

1. Anaemia	It is caused due to deficiency of mineral Iron.
2. Ariboflavinosis	It is caused due to deficiency of Vitamin B2.
3. BeriBeri	It is caused due to deficiency of Vitamin B.
4. Goitre	It is caused due to deficiency of Iodine.
5. Impaired clotting of the blood	It is caused due to deficiency of Vitamin K.
6. Kwashiorkor	It is caused due to deficiency of Protein.
7. Night Blindness	It is caused due to deficiency of Vitamin A.
8. Osteoporosis	It is caused due to deficiency of mineral Calcium.
9. Rickets	It is caused due to deficiency of Vitamin D.
10. Scurvy	It is caused due to deficiency of Vitamin C.

COMMON HUMAN DISEASES AND AFFECTED BODY PART:

Disease	Affected Body Part
AIDS	Immune system of the body
Arthritis	Joints
Asthma	Bronchial muscles
Bronchitis	Lungs
Carditis	Heart
Cataract	Eye
Cystitis	Bladder

Disease	Affected Body Part
Colitis	Intestine
Conjunctivitis	Eye
Dermatitis	Skin
Diabetes	Pancreas and blood
Diphtheria	Throat
Eczema	Skin
Goitre	Thyroid gland
Glossitis	Tongue
Glaucoma	Eye
Gastritis	Stomach
Hepatitis	Liver
Jaundice	Liver
Malaria	Spleen
Meningitis	Brain and spinal cord
Myelitis	Spinal cord
Neuritis	Nerves
Otitis	Ear
Osteomyelitis	Bones
Paralysis	Nerves and limb
Pyorrhoea	Teeth
Peritonitis	Abdomen
Pneumonia	Lungs
Rhinitis	Nose
Rheumatism	Joints
Tuberculosis	Lungs
Tonsillitis	Tonsils
Trachoma	Eye

BLOOD GROUP AND ITS CLASSIFICATION :

K.Landsteiner : Classified human beings (1900) in four groups on the basis of the reaction of their blood:A,B,AB and O.

Blood group	Carries antigen	Carries antibody	Can donate blood to	Can receive blood from
A	A	B	A,AB	A,O
B	B	A	B,AB	B,O
AB	A,B	None	Only AB	Universal Acceptor
O	None	A,B	Universal donor	Only O